

American Humane Farm Program American Humane Certified™

Dairy Cattle

Animal Welfare Standards Audit Tool Introduction



The **American Humane Farm Program (American Humane Certified™ Animal Welfare Standards)** is the product of over 140 years of applied experience in farm animal welfare. Since its beginning in 1877, American Humane has had a long history with the humane treatment of farm animals. In its work to improve the treatment of working animals and livestock in transit, American Humane has been involved in almost every major advancement in improving the welfare of animals, including an instrumental role in the enactment of the 28 Hour Transportation Law. In 1916, the U.S. Secretary of War asked American Humane to help with the rescue of horses and other animals on the battlefields of World War I. The program that followed became Red Star Emergency Services program, which continues to this day to rescue and shelter animals involved in disasters throughout the country.

Given its history, it was natural that American Humane would create the first farm animal welfare audit program. In 2000, American Humane pioneered the first third party audit and certification program in the United States to encourage and support the humane treatment of animals used for food. Organized as the Free Farmed® certification program, the first **Animal Welfare Standards** were based on the Royal Society for the Prevention of Cruelty to Animals' **Welfare Standards**, the Federation of Animal Science Societies' **FASS Guide for the Care and Use of Agricultural Animals in Research and Teaching**, and the governing principles first developed by the Farm Animal Welfare Council (FAWC) known as the "Five Freedoms of Animal Welfare":

- Freedom from hunger and thirst
- Freedom from discomfort
- Freedom from pain, injury, or disease
- Freedom from fear and distress
- Freedom to express normal behaviors

Since its origins, American Humane farm animal welfare standards have been and continue to be a living document. The standards and the audit process are continually reviewed and updated, using the expertise of the American Humane Scientific Advisory Committee. This committee of internationally renowned animal scientists and veterinarians advances new science and regularly evaluates the standards to ensure that the American Humane Certified™ program incorporates the best and current knowledge of humane practices.

American Humane collaborates with institutions and organizations on independent research in animal behavior as well as new handling and housing applications. The program incorporates the practical, hands-on experience of farmers and ranchers, and ensures that new technology and knowledge from veterinarians and animal research experts are shared with producers. Third-party audits help to educate, encourage, and support producers in adopting humane practices. The program promotes clear, reasoned communication with consumers and retailers about the meaning and value of humanely raised food and the benefits not only to animals but also to people.

*Note: Please refer to Appendix C of the full **Animal Welfare Standards** for a list of additional References consulted in the development of these standards.*

Core Criteria

Items that are essential to the “Five Freedoms of Animal Welfare” are scored higher than other questions in the audit. “Core Criteria” are scored either 25 or 50 points and must be satisfactorily addressed in order to pass the audit. These items are listed below (refer to ***Animal Welfare Standards Audit Tool*** following for full descriptions):

M1: Company Policy

The Company Policy must be available to all workers, in their native language. Personnel must sign and date that they have been provided a copy of, and that they understand their responsibilities under, the Company Policy.

M2: Employee Code of Conduct

An Employee Code of Conduct must be available to all personnel, in their native language. Workers must sign and date that they have been provided a copy of, and that they understand their responsibilities under, this Code of Conduct.

M11: Herd Health Plan

A Herd Health Plan (HHP) must be available at the main office. The HHP must document the activities affecting animal health for the year’s cycle of production.

M15: Policy for the Control of Mastitis

All cases of mastitis must be identified and treated promptly with the underlying predisposing factors corrected. Records must be available for a minimum of one year with information from the dairy regarding the control of mastitis.

M20: Colostrum for Calves

For both heifer and bull calves it is vital that each new-born calf receives adequate, quality colostrum from its dam, from another fresh cow, or from a frozen or dried colostrum source as soon as possible after birth, and no later than within the first 6 to 8 hours of life.

M24: Weaning

Calves must not be weaned before 5 weeks of age and calves must not be weaned until they are eating adequate quantities of calf starter or dry hay consistently (at least 1.5 lbs. of a calf starter ration or dry hay per calf per day). The removal of calves from pens into social groups must not coincide with weaning.

M28: Use of Handling Aids

Sticks and flags must be used only as benign handling aids (i.e., as extensions of the arm). Sticks must not be used for excessive hitting, beating, or poking the cattle. Electric prods must not be used except where animal and/or human safety is in jeopardy and it is the means of last resort. Electric prods must not be carried by stock-keepers as a matter of course. Handlers must use tails gently if necessary to direct the animal’s movement.

M35: Non-Ambulatory (“Downer”) Cattle

Care must be taken to avoid causing unnecessary pain or distress to a sick or injured animal that is unable to move. Moving by means that can cause further physical or psychological damage is prohibited. *Refer to the North American Meat Institute (NAMI) guidelines for acceptable methods of moving non-ambulatory cattle.*

M36: Segregation and Care of Sick or Injured Animals

Provisions must be made for the segregation and care of sick and injured animals.

M38: Identification

Cattle marking must be performed by trained personnel quickly, expertly, and with the proper equipment in a manner that avoids unnecessary pain and distress.

M51: Monitoring of Air Quality for Enclosed Environments

Where cattle are housed in an enclosed environment, dust and ammonia must be maintained at acceptable levels. *Note: Provisions must be made to ensure that aerial contaminants do not reach a level at which they are noticeably unpleasant to a human observer.* Ammonia levels must be monitored by the producer and maintained ideally at less than 10 ppm, but should never exceed 25 ppm.

M53: SOPs for Husbandry and Other Procedures

Where necessary, producers must use only approved, humane husbandry procedures accepted by the American Humane Certified™ program. All of these practices must be performed by designated, trained and competent personnel or the herd veterinarian using appropriate, well-maintained equipment in a way which minimizes suffering and optimizes recovery. Procedures include supernumerary teat removal, disbudding/ dehorning, castration, and other surgical procedures.

M57: Euthanasia Policy

A Euthanasia Policy must be available which includes provisions for humane and timely euthanasia.

FW1: Body Condition Score

All cattle must be fed a wholesome and appropriate diet for their age and species and which is fed to them in sufficient quantity so that they sustain full health and over their maximum foreseeable lifespan. Cattle must have daily access to food, unless otherwise required by a veterinarian. Body condition change in cattle must be monitored and maintained according to the stage of production using the **Body Conditioning Score**.

FW6: Access to Water

All cattle, including calves older than 1 day and cattle in confinement, must be provided with continuous access to an adequate supply of clean, fresh drinking water each day, except when otherwise required by the attending veterinarian.

E3: Building Safety

There must be no physical features of the environment which cause recurring injuries to cattle.

E14: Ammonia in Enclosed Environments

When cattle are in an enclosed environment, provisions must be made to ensure that aerial contaminants do not reach a level at which they are noticeably unpleasant to a human observer as specified by Environmental Protection Agency and OSHA standards for particulates. Ammonia measured by the auditor should be less than 10 ppm but must not exceed 25 ppm.

E17: Lying Area

Cattle kept in dry lots must have access at all times to a lying area which is well-drained, well-maintained with dry bedding, and of sufficient size to accommodate all cattle lying down together in normal resting posture.

E18: Freestall Housing

Requirements for freestall housing of dairy cattle must be satisfied.

E25: Calf Houses

Requirements for individual housing of calves must be satisfied.

E36: Summer/ High Heat Conditions

For summer/ high heat conditions, a shaded area or water systems must be accessible to the cattle to provide cooling and allow the cattle the opportunity to thermoregulate. When cattle show signs of moderate to severe heat stress, such as head bobbing or open-mouth panting, immediate remedial actions must be taken to provide relief.

E39: Milking Parlor Hygiene

High standards of hygiene must be practiced in the milking parlor to reduce the risk of infection.

E42: State and Federal Milk Requirements

Documentation must be available showing that dairy operations meet governing state and federal ordinances for milk products.

Core Auditor Evaluations

(Note: see the *Animal Welfare Standards Audit Tool* for full descriptions.)

E43: Incidence of Slips and Falls Score

E44: Lameness/ Locomotion Score

E45: Hygiene Score

E46: Leg Condition Score

E47: Coat Condition

E48: Tail Condition

T16: Space Allowance during Transport

During transport cattle must have sufficient room for all individuals. Space per animal must be provided in accordance with the transportation space guidelines in the latest edition of the ***FASS Ag Guide***. Additional space must be provided to allow the cattle to spread apart during hot weather. Cattle must have sufficient head clearance to stand comfortably without touching the ceiling of the transport equipment. For partial loads, the transport vehicle must be sub-divided to account for the size of the group being transported.

T24: Slaughter

The American Humane Certified™ program adheres to the ***Recommended Animal Handling Guidelines and Audit Guide*** published by the North American Meat Institute for humane slaughtering and processing practices.

Pass/Fail Audit Items

The following items must be satisfied in order to pass the audit. Failure of these items will result in failure of the audit, and may result in the farm or ranch being suspended from the program.

P/F 1: No Instances of Willful Acts of Abuse

P/F 2: Body Condition Score

P/F 3: Lameness/ Locomotion Score

Audit Scoring

Score Process

There are 114 audit items for 1354 total points possible on the **Animal Welfare Standards Audit Tool for Dairy Cattle**. (There are 24 additional audit items for Transport and Slaughter.) 29 audit items, totaling 875 points, are related to Core Criteria items on this audit- these Core Criteria questions have score values of 25 or 50 points. In order for a farm to be certified by the **American Humane Certified™** program, each site must meet an initial audit score of 85% based on the score of Total Points Achieved versus Total Points Achievable score. Additionally, there are 3 Pass/Fail audit items. These three audit items **MUST** be addressed satisfactorily in order to pass the audit.

Since not every audit item may apply to every farm, some items will be considered Not Applicable (NA). It is necessary to remove these NA questions from the overall count. An example of this process has been provided below:

a.) Total Points Possible			b.) Total NA's	c.) Adjusted Points Achievable	d.) Total Points Achieved	Overall Audit Percentage
Items	Value	Points	Example	Example	Example	
6	50	300	(core)	300	300	
23	25	575	(core)	575	575	
32	10	320	1 @ 10	310	300	
53	3	159	6 @ 3	141	132	
A.) Total Points Possible			B.) Total NA's	C.) Total Points Achievable	D.) Total Points Achieved	D./C. = Overall Audit Percentage
=1354			=28	= A.-B. =1354-28 =1326	=1307	Example= 1307/1326=99%

Step 1- Count the Total Points Possible for all items on the scored **Animal Welfare Standards Audit Tool**.

Step 2- Count the number of Total Not Applicable (NA) audit items. Subtract the Total NA's from the Total Points Possible for all items. This will give you the Adjusted Points Achievable for the audit.

Step 3- Count up the Total Points Achieved in the audit. These are the audit items that were in conformance.

Step 4- Divide the Total Points Achieved by the adjusted Total Points Achievable to find the Overall Audit Percentage.

- Each site must have an Overall Audit Percentage of 85% or above and each of the Pass/Fail items must be addressed satisfactorily in order for a site to pass the audit. In addition, all Non-Conformances must be corrected.

Non-Conformances

All welfare issues identified with a loss of points during an audit are discussed in the exit interview by the auditor and will be described on the **Non-Conformance Report**. The **Non-Conformance Report** will list out the non-conformances found by the auditor and must be signed by both the manager and auditor. All corrective actions agreed upon at the exit interview must be corrected even if your farm receives certification.

Corrective Action Plan

A Corrective Action Plan is submitted online to American Humane within 10 days of the Non-Conformance Report date. The Corrective Action Plan describes the items identified through the audit process and the corrective actions that will be taken by the producer.

Corrective Action Completion

The Corrective Action Plan is completed within 90 days and a Corrective Action Completion form is submitted online with supporting documentation. Producers are subject to a re-audit at the discretion of the American Humane Certified™ program after plan completion. Variances are permitted through submission to the American Humane Certified™ program and upon approval. Producers are encouraged to report to the American Humane Certified™ program on their progress on corrective actions throughout the correction period.

- Farms in the American Humane Certified™ program are expected to maintain high welfare standards throughout the term of their certification. If it is determined after an audit that a farm in the American Humane Certified™ program has fallen out of compliance, the farm is immediately suspended from the program. Suspended farms must verify correction of the non-conformances and pass a new audit before being reinstated. The American Humane Certified™ program reserves the right to perform spot checks at any time during the certification period.

American Humane Farm Program



American Humane Certified™ Farm Data Form Dairy Cattle

➤ Auditor note: the following information should be completed in full (unless N/A) and reported to the American Humane Certified™ program with submission of the audit.

AUDITOR:	AUDIT DATE: From: To:	AUDIT SCORE:
LICENSE HOLDER:		
PRODUCER:	LICENSE MANAGER:	
Address:	Email:	
City:	Office #:	
State:	Cell #:	
ZIP:	Alt #:	
Country:	Fax #:	
AUDIT FARM LOCATION:		
AUDIT FARM:	FARM MANAGER:	STOCKPERSON:
Address:	Email:	Email:
City:	Office #:	Office #:
State:	Cell #:	Cell #:
ZIP:	Alt #:	Alt #:
Country:	Fax #:	Fax #:
ANIMAL SUPPLIER:	TRANSPORTER:	MILK PURCHASER:
NAME:	NAME:	NAME:
Address:	Address:	Address:
City:	City:	City:
State:	State:	State:
ZIP:	ZIP:	ZIP:
Country:	Country:	Country:
Contact:	Contact:	Contact:
Contact #:	Contact #:	Contact #:

FARM DATA:*(Audited location only)***MAIN PREMISES****SECONDARY PREMISES***(Only if applicable)***Type of Housing:**
*(freestall/dry lot/other (describe))***Type of Housing:**
*(freestall/dry lot/other (describe))***Audited Housing Space (ft²):**
*(Only if applicable)***Audited Housing Space (ft²):**
*(Only if applicable)***Audited Grazing Space (acres):**
*(Only if applicable)***Audited Grazing Space (acres):**
*(Only if applicable)****FOR MAIN PREMISES ONLY:******FOR SECONDARY PREMISES ONLY:*****Number of Milking Cows:****Number of Milking Cows:****Number of Dry Cows:****Number of Dry Cows:****Number of Heifers:****Number of Heifers:****Number of Calves:****Number of Calves:****Total Number of Cattle:****Total Number of Cattle:****Milking Frequency:****Milking Frequency:****Milking Times:****Milking Times:****Total Milk Shipped/ month:**
*(lbs)***ALL LOCATIONS****Milk Purchaser:***For more locations, provide the same details as above for other sites on a separate attached piece of paper.***Name of Marketing or Producer Group if under Forward Contract:****List of Quality Assurance Programs:**

Audit Notes

- *The American Humane Certified™ standards are written to cover facilities in varying geographic and temperature regions and facilities utilizing different systems. Therefore, not all sections in these standards apply to every facility. Farmers must comply with any local, state or federal mandates for handling and processing milk that affect the environment or safety of their product.*
- *If an outside company is used for other processes such as marking/ identification or slaughter, documentation must be available showing that the individuals are properly trained in these areas. This can be accomplished through training documents and/or the Certificate of Conformances.*
- *For each producer, the audit process must include observations of at least one milking parlor per each audit-day.*
- *If the auditor observes willful acts of abuse towards the animals during the course of the audit, s/he must suspend the audit and notify the manager, their audit company, and the American Humane Certified™ program immediately. An investigation will be made to assess the incident and to determine whether remedial actions are required. If the incident is determined to be severe, the producer may be placed on probation from the program. Producers who are placed on probation must implement changes to the management, training, and company policies that to the satisfaction of the American Humane Certified™ program effectively remedy the issue, and the site must pass a follow-up audit. (See "Pass/ Fail Auditor Evaluations".)*

Office Records/ Management

A high degree of caring and responsible management and husbandry is vital to ensure good animal welfare. Managers and stockman must be thoroughly trained, skilled, and competent in animal husbandry and welfare and have a good working knowledge of their system and the livestock under their care.

The following records and documentation must be made available to the auditor at the time of the audit. These are to be maintained in the form of a Farm Manual. Dairies may use their own forms for records or they may use the template forms which are provided in Appendix A of the full **Animal Welfare Standards for Dairy Cattle**.

Company Policy & Employee Code of Conduct

		Selection	Score
M1	<p>Company Policy The Company Policy must be available to all personnel, in their native language as necessary. Personnel must sign and date that they have been provided a copy of, and that they understand their responsibilities under, the Company Policy, which must include as a minimum:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Emphasis of the company’s commitment to providing an environment which promotes high standards of animal welfare; <input type="checkbox"/> The implementation of a “zero-tolerance” policy which states that willful acts of abuse towards the animals will not be tolerated and, upon the discretion of the company, these actions are grounds for immediate dismissal. Willful acts of abuse include but are not limited to: <ul style="list-style-type: none"> o beating the cattle, o slamming gates on the cattle, o using any type of prod inappropriately (on sensitive areas of the animal), or using the electric prod when neither the welfare of the animal or of the handler is in immediate jeopardy, o using electronic immobilization for any reason, o driving the animals atop one another, and o goading or dragging a downer animal; and <input type="checkbox"/> The implementation of a “whistle blower” policy that protects employees who report animal welfare issues. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25
M2	<p>Employee Code of Conduct An Employee Code of Conduct must be available to all personnel, in their native language as necessary. Personnel must sign and date that they have been provided a copy of, and that they understand their responsibilities under, this Code of Conduct, which must include as a minimum:</p> <ul style="list-style-type: none"> <input type="checkbox"/> All personnel are expected to handle the cattle in a positive and compassionate manner at all times; <input type="checkbox"/> Each dairy worker has the responsibility for and is expected to contribute to upholding high standards of animal welfare at all times as they perform their own duties; <input type="checkbox"/> In addition to the worker’s assigned duties, each also must be cognizant that the basic requirements such as adequate feed, water, clean bedding areas, etc. must be provided to the cattle at all times, and direct action must be taken and/or a supervisor must be notified if any of these basic necessities are lacking; and <input type="checkbox"/> All personnel have access to the Animal Welfare Incident Report or a similar company document or company protocol (such as an 800 number) for reporting incidences. Personnel must complete and submit this document or otherwise report whenever they observe incidences related to animal welfare that cause them concern. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25

Office Records & Documentation

<p>M3</p>	<p>Records of Production Comprehensive production records must be available for at least one year in electronic, graphic, or tabular form, recording performance parameters including but not limited to:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Animal movement logs (incoming and outgoing stock); <input type="checkbox"/> Numbers and ages (i.e. calf, weaned calf, heifer, springer, cow, dry cow) of mortalities (with reasons stated, if known) and date; <input type="checkbox"/> Numbers and ages of downer cows and date; <input type="checkbox"/> Numbers and ages of cull cows (with reasons stated) and date; <input type="checkbox"/> Monthly milk production; and <input type="checkbox"/> Monthly average herd SCCs. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M4</p>	<p>Building Checklists/ Site Plans Records must be available for at least one year for each site with the following information for all animals previously and currently maintained in that site:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Total square feet of bedding / loafing area; <input type="checkbox"/> Number of free-stalls or bedded (loafing) area; <input type="checkbox"/> Total square feet available to livestock; and <input type="checkbox"/> Total head capacity in relation to age, weight, feeding and drinking, and bedding space. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M5</p>	<p>Standard Operating Procedures (SOPs) SOPs must be available in regularly updated, comprehensive written instructions, in workers' native language as necessary, relating to daily, weekly, and monthly activities and procedures: Examples include but are not limited to:</p> <ul style="list-style-type: none"> ○ Procedures for responsible personnel of required periodic inspections of animals and facilities and when records are needed; ○ Procedures for responsible personnel of required inspections of equipment, routine maintenance and cleaning, and back-up protocols; ○ Any biosecurity protocols (if applicable); ○ Procedures for responsible personnel of the Cleaning and Waste Disposal plans; ○ Maintenance and testing of Auxiliary Power Supply; ○ SOPs for Calves & Weaning; ○ SOPs for Handling; ○ SOPs for Care & Handling of Sick or Injured Animals; ○ SOPs for Identification; and ○ Any additional procedures to maintain compliance with any applicable local, state, and federal regulations. <p>➤ <i>Auditor note: mark "Yes" if SOPs for miscellaneous activities and procedures <u>are available</u>; mark "No" if they are not.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>

M6	<p>Emergency Response Plan An Emergency Response Plan must be available at the main office. This plan must include:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Contingency plans and precautions to cope with severe events/ emergencies in order to safeguard the welfare of the animals, and the procedures to be followed by responsible personnel in the event of severe events/ emergencies such as fire, floods, storms or other severe weather, interruption of power or water, interruption of supplies, etc. <input type="checkbox"/> Procedures to ensure that responsible individuals (and alternates, if necessary) can be notified. This should include primary and alternate contact numbers for these individual(s) responsible for reacting to emergencies, i.e. farm workers/ managers, family members, and/or owner as appropriate. <i>Note: it is recommended to provide contact numbers for at least three responsible dairy workers and/or family members when possible, and a “telephone tree” to ensure that all responsible parties may be contacted if necessary.</i> <p>Note: The ERP should also include emergency contact information and numbers, i.e. site address and other relevant information, contacts for fire department, local utilities, etc.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
-----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------	------------

Nutrition, Lighting, & Herd Health Plans

<p>M7</p>	<p>Nutrition Plan A Nutrition Plan must be available at the main office. This plan includes:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Certification or proof that the diet has been developed in consultation with a qualified dairy nutritionist OR in consultation with a veterinarian or other qualified individual using commercially mixed feed. <input type="checkbox"/> Demonstration that the diet conforms to the following requirements (such as a letter from the dairy nutritionist/ other qualified individual or other evidence which confirms the following): <ul style="list-style-type: none"> <input type="checkbox"/> The diets for each age group have been developed in accordance with the nutritional guidelines provided by the most recently published National Research Council (NRC) standards; <input type="checkbox"/> Feedstuffs do <u>not</u> contain ruminant-derived protein sources with the exception of milk and milk products; <input type="checkbox"/> Growth hormones/ promoters are not used as additives to the feed in the <u>stated formulation</u> for the <u>stated producer</u>; and <input type="checkbox"/> In-feed antibiotics or anti-parasitic agents are not used in the <u>stated formulation</u> for the <u>stated producer</u>, except and unless for permitted therapeutic reasons as prescribed by an attending veterinarian and as documented in the Herd Health Plan. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M8</p>	<p>The Nutrition Plan must also include specifications for:</p> <ul style="list-style-type: none"> <input type="checkbox"/> A diet which is adjusted as appropriate to the animals' age and breed in order to promote balanced nutrition. In all cases, nutritional maintenance through feeding of quality forage, mineral concentrates, etc. must be provided as necessary to maintain good health. <input type="checkbox"/> Changes in the type and quantity of feed must be introduced gradually in order to limit the risks of digestive problems such as acidosis. <input type="checkbox"/> Adult cattle must be provided with a supplemental source of fiber as necessary to promote rumination. The fiber must be of such quality and length as to stimulate rumination and help avoid acidosis by aiding in proper digestion. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>M9</p>	<p>The Nutrition Plan must also include:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Feed records that have been retained for at least one year, including: <ul style="list-style-type: none"> <input type="checkbox"/> Identification of feed mill and whether major or minor source of feed; and <input type="checkbox"/> Feed constituents/ feed concentrates (minerals/amino acids, etc.) used at each site. <input type="checkbox"/> A written record of the feed ingredients, and the inclusion rate of compound feeds and feed supplements; <input type="checkbox"/> Records from the feed supplier with a statement of compliance that feed ingredients meet all FDA requirements for feed safety. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

<p>M10</p>	<p>Lighting Program The lighting for the cattle must be designed and maintained to regulate a daily cycle for all animals.</p> <ul style="list-style-type: none"> <input type="checkbox"/> The cattle must be provided a minimum continuous period of 8 hours of natural light supplemented by artificial light as needed: <ul style="list-style-type: none"> <input type="checkbox"/> For fully enclosed housing, artificial lighting must be provided as needed to supplement natural light. The daytime light levels must be bright enough to allow facilities and animals to be inspected without additional portable lighting (such as a flashlight, portable lamp, etc.) <input type="checkbox"/> The cattle must be provided the opportunity to rest. Within each 24 hour period, artificial lighting must be reduced to provide a minimum period of 6 hours of continual darkness or the natural period of darkness, if less. <i>Note: 'darkness' refers to dimmed lighting which allows the animals to rest. However, supplemental lighting must be provided as needed to allow the safe movement of animals and workers during nighttime milking and other activities.</i> 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M11</p>	<p>A written Herd Health Plan (HHP) must be available at the main office. This plan must include:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Certification or proof that the HHP has been developed in consultation with the herd veterinarian: <ul style="list-style-type: none"> o The herd veterinarian must sign and date the HHP and o The HHP must be annually updated; <input type="checkbox"/> Records of vaccination protocols and any vaccinations; <input type="checkbox"/> Records of treatment protocols and any treatments, including: <input type="checkbox"/> Identification of the animal(s); <input type="checkbox"/> The type of treatment and reason for the treatment; <input type="checkbox"/> Dates of treatment; <input type="checkbox"/> The types/route of administration and quantities of medications used; <input type="checkbox"/> Details of the therapeutic use, defined as treatment, prevention and control, as allowed by current laws, of any antibiotics (including ionophores), antiparasitics, and antifungals, which includes the requirements that antibiotics, antiparasitics, and antifungals must only be used therapeutically as prescribed by the herd veterinarian; <input type="checkbox"/> Therapeutic use must be for individual animals OR for specific groups of animals only when specified by the herd veterinarian through determination that the entire group is at high risk of contracting disease; <input type="checkbox"/> Therapeutic use is in conformance with the latest edition of the FDA Judicious Use of Antimicrobials for Dairy Veterinarians and complies with withdrawal periods; <input type="checkbox"/> Records of any surgical procedures; <input type="checkbox"/> Tolerance levels for overall herd performance; <input type="checkbox"/> Causes of morbidity and mortality where known; and <input type="checkbox"/> Targets for other aspects of herd health. <input type="checkbox"/> Livestock and poultry must not be implanted or injected with any growth hormone/ growth promoter or fed antibiotics (except ionophores) or fed beta-agonists for the purpose of boosting growth or feed efficiency. <input type="checkbox"/> NOTE: Treatment must never be withheld to maintain an antibiotic-free production policy. Animals must be given appropriate treatment, including antibiotics, if prescribed by the flock veterinarian, regardless of antibiotic-free production policy. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>

<p>M12</p>	<p>The Herd Health Plan must also include:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Management plans for the prevention of physical maladies; <input type="checkbox"/> Management plans including methods for the prevention of acute foot conditions (such as the use of foot-baths, etc.): <ul style="list-style-type: none"> <input type="checkbox"/> The feet of all cattle must be inspected for signs of abnormal wear, infection, or excessive growth at least annually, or as required by a competent foot trimmer, and <input type="checkbox"/> If a problem is identified, a foot care plan must be developed and implemented using methods appropriate to the condition and the individual dairy; <input type="checkbox"/> Procedures for the prevention, detection, and control for common diseases; <input type="checkbox"/> Procedures for the quarantine of animals and when required; <input type="checkbox"/> Action plans for the prevention, detection, and control of external and internal parasites and pests; <input type="checkbox"/> Action plans for the mitigation/ prevention of recurring injuries to suggest that there is a common cause and that is attributable to physical features of the environment or handling procedure; <input type="checkbox"/> Action plans and procedures for providing comfort and optimizing the recovery of animals following any treatments, illness, or injury; <input type="checkbox"/> Procedures to be followed in the event of an outbreak of abnormal behavior, including appropriate and immediate changes in the system of management. If abnormal behavioral activities develop repeatedly and inhibit normal functioning of the animal in any particular area, a program of modification and enrichment must be developed and agreed upon together with the farm veterinarian. (This excludes the repeated rubbing of brushes designed for that purpose.) <ul style="list-style-type: none"> o <i>For observation purposes the following possible repetitive abnormal behavioral patterns may include repeated rubbing in the absence of disease, tongue rolling/aerophagia, bar biting/chewing, pica (licking/chewing solid objects), eating soil/sand/dirt, navel sucking, ear sucking, urine drinking. Observations are to be made over an extended period of time; and</i> <input type="checkbox"/> Any program adopted and followed for the prevention and control of organisms that cause food safety concerns. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M13</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Cows, especially heifers, must be adequately prepared for calving and subsequent milking by early introduction to pre- and post-calving housing and the production ration. <input type="checkbox"/> Heifers must be closely monitored when introduced into an established herd of cows. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

M14	<p>Herd Performance Parameters</p> <ul style="list-style-type: none"> <input type="checkbox"/> Tolerance limits for herd performance must be established. The herd must be continually monitored for herd performance parameters including: production diseases, infectious diseases, and injury as a result of housing/ husbandry/ and handling. <ul style="list-style-type: none"> <i>○ This includes, for example: mastitis, metabolic disorders - (hypocalcaemia, hypomagnesaemia, ketosis, displaced abomasum, laminitis, bloat, acidosis), septicemia, enteritis, problems at calving, repetitive physical injury, respiratory diseases, body condition, and/or non-ambulatory animals.</i> <input type="checkbox"/> The causes of morbidity and mortality where known, and the targets for other aspects of herd health: all sudden deaths, disease outbreaks, and incidences where cattle are humanely euthanized must be recorded and investigated in consultation with the herd veterinarian when necessary. <input type="checkbox"/> Where any herd performance parameters fall below the tolerance limits established by the producer and the herd veterinarian in the Herd Health Plan, or if the numbers of casualty or culled animals exceeds the parameters in the HHP, the veterinarian must be informed and management practices adjusted until the problem has been resolved. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------	------------

M15	<p>Policy for the Control of Mastitis The dairy must have a policy for the control of mastitis. All cases of mastitis must be identified and treated promptly with the underlying predisposing factors corrected. Records must be available for a minimum of one year with the following information at a minimum:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Incidences of individual cows with clinical cases of mastitis must be recorded. These cows must be identified (for example, by leg bracelet) and milked separately, and their milk must be segregated and properly disposed of. <input type="checkbox"/> Records must be kept as part of the Herd Health Plan of any treatments and medications used, including mastitis tubes or other therapeutic antibiotic usage, and the recommended withdrawal times observed. Cows under antibiotic treatment must be identified (for example, by leg bracelet) and their milk must be segregated and properly disposed of- it must not be fed to calves. <input type="checkbox"/> Herd somatic cell counts (SCCs) must be routinely monitored at the bulk tank and recorded per the requirements of the USDA or state/ local jurisdictions. <p>_____ Herd Average SCC from previous month _____ Max. Two-month Average SCC from previous year</p> <ul style="list-style-type: none"> ○ (Check if applicable): Where herd SCCs exceed the target rate of 375,000 averaged over any 2-month period, the specific organisms involved must be identified, and an appropriate program of mitigation with a focus on udder health must be developed in consultation with the herd veterinarian. The implementation of this program must be documented per the Herd Health Plan, and records must show that the program has been maintained until herd SCC rates drop to acceptable levels. <ul style="list-style-type: none"> <input type="checkbox"/> Measures must be in place to minimize the risk/incidence of mastitis in dry cows. <p>• <i>Auditor note: The dairy must keep records of clinical cases of mastitis and of mastitis tube or other therapeutic antibiotic usage per the requirements of the Herd Health Plan along with the results of routine herd SCCs. Where herd SCCs exceed the target rate of 375,000 averaged over any two month period, there must be records in the HHP of the implementation of an appropriate program of mitigation. Records must show that this program was maintained until SCC rates returned to acceptable levels.</i></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/50
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	------------

Biosecurity & Sanitation Plans

<p>M16</p>	<p>Biosecurity Plan A Biosecurity Plan must be available which describes methods for reducing the risk of disease introduction to the herd. This plan should include but is not limited to:</p> <ul style="list-style-type: none"> <input type="checkbox"/> The company policy for animals coming from other farms: Managers must be provided appropriate treatment and vaccination records by vendors when new stock is brought onto the site; <input type="checkbox"/> As applicable, the company's timeframe for which new animals are to be segregated before being mixed with other animals on the farm; <input type="checkbox"/> As applicable, description of isolation facilities for the purpose of observing/ testing new animals before integration with the rest of the herd; <input type="checkbox"/> As applicable, the policy and procedures for the screening of hired bulls for potential disease prior to its introduction: <i>It is recommended that hired bulls are used only when no alternative is available;</i> <input type="checkbox"/> As applicable, description of any other policy or procedure for maintaining biosecurity at the dairy. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M17</p>	<p>Cleaning and Sanitation Plan The Cleaning and Sanitation Plan must be available as part of the overall health plan, including details for routine/ scheduled cleaning procedures.</p> <p><i>Note: as examples, this includes routine cleaning and (as needed) sanitation of waterers and feeders; routine scraping/flushing of the alleyways; removal of manure; routine cleaning and maintenance of the freestall bedding and calf houses; routine, thorough cleaning and sanitation of equipment and implements such as bucket loaders, scrapers, shovels, etc.; cleaning and sanitation of equipment and implements used for multiple purposes (i.e. buckets are cleaned and sanitized prior to being used for feed, etc.).</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M18</p>	<p>Waste Disposal Plan Each dairy must maintain a Waste Disposal Plan which details protocols for the safe and proper disposal of medical waste, sharps, carcasses, and other waste that poses a potential threat to animal and human health and safety.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>

SOPs for Calves & Weaning

M19	<p>Navel Disinfection (Dipping) The navels of new-born calves must be dipped in an appropriate disinfectant per the herd veterinarian as soon as possible after birth. The navels should be dipped a second time after 12 to 18 hours, unless directed otherwise by the veterinarian.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
M20	<p>Colostrum for Calves For both heifer and bull calves:</p> <ul style="list-style-type: none"> <input type="checkbox"/> It is vital that each new-born calf receives adequate, quality colostrum (2-4 quarts) from its dam, from another fresh cow, or from a frozen or dried colostrum source as soon as possible after birth, and no later than within the first 6 to 8 hours of life. <ul style="list-style-type: none"> <input type="checkbox"/> The frozen or dried colostrum source must supply a minimum of 100 grams of IgG per dose. <input type="checkbox"/> Records must show that purchased calves have received colostrum as set out above. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/50
M21	<p>Thermal Environment Proper precautions must be taken to prevent and manage hypothermia in young calves. <i>While healthy young calves can tolerate low air temperatures, newborn animals, calves that have been transported or deprived of food, and sick calves are all particularly susceptible to hypothermia.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Hypothermia and additional stress must be avoided in well-ventilated, unheated buildings by the use of thick, dry bedding and by preventing drafts. <input type="checkbox"/> Sick calves must be provided artificial heat if ambient conditions warrant. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M22	<p>Lighting Calves must not be kept in total darkness.</p> <ul style="list-style-type: none"> <input type="checkbox"/> To meet their behavioral and physiological needs, appropriate natural or artificial lighting must be provided. Where provided, artificial lighting must function for a period at least equivalent to the period of natural light normally available between 9 a.m. and 5 p.m. <input type="checkbox"/> Suitable lighting (fixed or portable) must be available to allow the calves to be inspected at any time. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M23	<p>Pre-Weaning</p> <ul style="list-style-type: none"> <input type="checkbox"/> All calves must receive milk or milk replacer twice per day, through the first 5 weeks of life, unless otherwise recommended by the attending veterinarian. <i>Note: see FW6 "Access to Water" also.</i> <input type="checkbox"/> If a teat system of calf feeding is used, teats must be arranged so that the calf's neck is positioned horizontally or with a slight upward tilt. <input type="checkbox"/> After 7 days, the un-weaned calves must have unlimited access to palatable starter feed. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M24	<p>Weaning</p> <ul style="list-style-type: none"> <input type="checkbox"/> Calves must not be weaned before 5 weeks of age; and <input type="checkbox"/> Calves must not be weaned until they are eating adequate quantities of calf starter or dry hay consistently (at least 1.5 lbs. of a calf starter ration or dry hay per calf per day). <input type="checkbox"/> The removal of calves from pens into social groups must not coincide with weaning. <i>Both of these procedures are stressful to the animals and hence they must be carried out separately.</i> 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25
M25	<p>Group Housing All calves must be group-housed by 8 weeks of age unless recommended otherwise by the herd veterinarian.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

M26	<p>Transport of Calves Newborn calves must not be moved off the farm unless/ until:</p> <ul style="list-style-type: none"> <input type="checkbox"/> They have received adequate colostrum as noted above; <input type="checkbox"/> They are eating well, i.e. suckling and drinking unaided; <input type="checkbox"/> They can walk easily and without assistance; <input type="checkbox"/> Their coats are dry; and <input type="checkbox"/> The transport carrier is clean, dry, and comfortable. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
-----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	----

SOPs for Handling

M27	<p>Stockpersons/ handlers must take care to avoid causing unnecessary pain or distress towards the cattle. Cattle must be handled calmly at all times, and at no time are the cattle to be yelled at or screamed at. Cattle must be handled with the least amount of force needed. Efforts must be made to accustom/ familiarize the cattle to contact with stockpersons/ handlers.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M28	<p>Use of Handling Aids</p> <ul style="list-style-type: none"> <input type="checkbox"/> Sticks and flags must be used only as benign handling aids (i.e., as extensions of the arm). <ul style="list-style-type: none"> <input type="checkbox"/> Sticks must not be used for excessive hitting, beating, or poking the cattle. <input type="checkbox"/> <u>Electric prods must not be used except where animal and/or human safety is in jeopardy and it is the means of last resort.</u> <input type="checkbox"/> Electric prods must not be carried by stock-keepers as a matter of course. <input type="checkbox"/> Handlers must use tails gently only if necessary to direct the animal's movement. <p>➤ <i>Note: See "P/F1" below also.</i></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25
M29	<ul style="list-style-type: none"> <input type="checkbox"/> Cattle must not be driven unless the exit or the way forward for the lead cow is clear. <input type="checkbox"/> Cattle should be moved at a walk and must not be rushed or run along alleyways, passageways, or through gateways. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M30	<p>Cattle-Handling Unit A cattle-handling unit must be available, comprised of a collecting system and a method of restraint, appropriate to the type, temperament, and numbers of stock to be managed.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M31	<p>Use of Restraints Cattle must not be closely restrained (i.e. tethered or stanchioned) except in the following circumstances, and then for not more than 4 hours. Cattle must not be deprived of water for more than 2 hours and sooner if the cattle are outside and/or if conditions are hot. Close restraint is permitted only for the following circumstances:</p> <ul style="list-style-type: none"> ○ For the duration of any examination, routine test, blood sampling, or veterinary treatment. ○ While they are being fed. ○ For the purpose of marking, washing, or weighing. ○ While facilities are being cleaned. ○ During artificial insemination. ○ Awaiting entry into the milking parlor. ○ During milking. ○ During hoof-trimming. ○ Awaiting loading for transportation. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

M32	<p>Immobilization of Cattle</p> <ul style="list-style-type: none"> <input type="checkbox"/> Tranquilizers (chemical immobilizations) may be used only when mechanical restraint is not an option (such as to immobilize an aggressive animal), and are only to be administered by the farm veterinarian and only at his or her discretion. <ul style="list-style-type: none"> <input type="checkbox"/> Tranquilizers must not be used in any situation where the animal may injure itself, such as near open water, on steep slopes, etc. <input type="checkbox"/> The animal must be closely monitored until it has recovered and is no longer at risk of injury to itself or from other individuals. <input type="checkbox"/> <u>Electric immobilization is not permitted for use under any situation.</u> 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
M33	<p>Use of Dogs or Other Animals</p> <p>Dogs or other animals, including working dogs must be properly trained, must not cause injury or distress to cattle, and must be kept under control at all times.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

SOPs for Care & Handling of Sick or Injured Animals

M34	<ul style="list-style-type: none"> <input type="checkbox"/> All efforts must be made to ensure the rapid diagnosis, immediate treatment, and optimized recovery for any sick or injured animal. <input type="checkbox"/> If an animal does not respond to treatment, or if it is in severe, uncontrollable pain it must be immediately euthanized. <input type="checkbox"/> No live animal may leave the farm unless it can walk unassisted, except as noted below. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M35	<p>Non-Ambulatory (“Downer”) Cattle</p> <ul style="list-style-type: none"> <input type="checkbox"/> Care must be taken to avoid causing unnecessary pain or distress to a sick or injured animal that is unable to move. Moving by means that can cause further physical or psychological damage is prohibited. <i>Refer to the North American Meat Institute guidelines for acceptable methods of moving non-ambulatory cattle.</i> <p style="padding-left: 40px;"><u>Non-ambulatory animals must not be moved by hoisting by chain, dragging, or lifting without complete body support-</u> doing so is considered a willful act of abuse. See P/F1 also.</p> <ul style="list-style-type: none"> <input type="checkbox"/> The use of hip-lifters is permitted only for emergency, short-term assistance. Cattle must not be left unattended when hip-lifters are in use. <input type="checkbox"/> Hind-leg hobbles (“splitters”) may be used only when necessary to prevent cattle from becoming non-ambulatory. <p><i>Medical breakthroughs in the treatment of dairy cows have made it possible to assist downer dairy cattle to regain health and productivity.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Where the farm veterinarian determines that a downer animal may be successfully moved with limited levels of pain and distress, and where the veterinarian determines that the downer is a good candidate for treatment, it may be humanely transported from the farm to a medical facility using approved methods. <input type="checkbox"/> If the farm veterinarian determines that an animal cannot be successfully transported or treated, it must be euthanized humanely and immediately. <input type="checkbox"/> The transportation, treatment or euthanasia of the cow must be documented in the health care records maintained in the farm manual. <p><i>Refer to U C Davis “Care for the Downer Cow” for additional recommendations.</i></p> <p><i>Reference: Stull, Berry, Reynolds, and Payne. 2008. Care for the Downer Cow. (Small placard published by U C Davis.)</i></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/50
M36	<p>Facilities for the Segregation and Care of Sick and Injured Animals</p> <p>Provisions must be made for the segregation and care of sick and injured animals.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Any cow or calf suffering from illness or injury must be segregated and treated without delay, and veterinary advice must be sought when needed. <input type="checkbox"/> If the cow or calf does not respond to treatment or is in severe pain or suffering, and the veterinarian determines that the animal is unlikely to recover, that animal must be euthanized humanely and immediately. <input type="checkbox"/> Hospital/ isolation pens must be clean, be provided with dry bedding, and be of a size which is appropriate for the age, size, and breed of the animal. <input type="checkbox"/> Animals in hospital pens must be able to stand up, turn around, lie down, rest, and groom themselves without hindrance. <input type="checkbox"/> <u>Water and feed must be readily accessible even to non-ambulatory animals.</u> <input type="checkbox"/> Urine and dung from hospital pens for sick and injured animals must be disposed without the risk of spreading infection to other stock. <input type="checkbox"/> Pens must be constructed to facilitate effective cleaning and disinfection of surfaces and the possible removal of a carcass from the area. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25

SOPs for Identification

M37	Where neckbands, tail-bands, ear tags, leg-bands, or RFIDs are used for identification purposes, they must be fitted with care and adjusted as required to avoid unnecessary pain or distress (for example by being too tight, etc.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
M38	<p>Cattle marking must be performed by trained personnel quickly, expertly, and with the proper equipment in a manner that avoids unnecessary pain and distress.</p> <p>The following methods of identification are NOT permitted for use in cattle identification:</p> <ul style="list-style-type: none"> ○ Brands. ○ Jaw-brands or ear-notching. ○ Ear-splitting, wattling, or any other surgical alterations for identification. <p>Livestock markers for the temporary marking of livestock (i.e., crayons, chalk, and paints) must be especially developed for that purpose and must be non-toxic.</p> <p>_____ Method(s) of identification used at the dairy.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25

Records of Stockperson Training

The continuing education of personnel who have day-to-day contact with the cattle is one of the most important ways to ensure behaviors that support and promote animal welfare. Documentation must be available confirming personnel training in aspects of herd welfare appropriate to the level of operation.

<p>M39</p>	<p>Training Documentation <i>Note: applies to all training in this section "Records of Stockperson Training"</i></p> <p>Stockpersons must be provided training at orientation, as well as yearly updates/ refresher courses (and opportunities for continuing education and professional development) and specialized training in aspects of animal welfare appropriate to the level of operation. For all training of personnel:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Training must be presented in the workers' native language as necessary. <input type="checkbox"/> Training may include company SOPs, videos, manuals, classroom settings, online instruction, etc. as appropriate. <input type="checkbox"/> Training <u>must</u> include 'hand's on' experience and evaluations. <input type="checkbox"/> Training must include review of the American Humane Certified™ Animal Welfare Standards. <input type="checkbox"/> Training must clearly define what is expected of each stockperson so that each is fully aware of their duties and responsibilities. <input type="checkbox"/> Training records must be signed by both the trainer and the trainee, and include the training topic and date of orientation, yearly update/ refresher course, or specialized training. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M40</p>	<p>Training for All Stockpersons</p> <p>Prior to being given responsibility for the welfare of livestock, all stockpersons must be properly trained. As a minimum, the training program for all stockpersons in direct contact with the animals must include the following topics:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Training and validation in the safe, correct and approved methods of cattle handling and use of cattle-handling units in a manner which minimizes unnecessary stress to the cattle, including: <ul style="list-style-type: none"> <input type="checkbox"/> understanding the behavioral characteristics of cattle and the likely stress factors that cattle may be subjected to, how cattle react towards other cattle, towards man, and to strange noises, sights, sounds, and smells; <input type="checkbox"/> using visual fields (i.e. cattle have a wide field of vision but have a blind spot behind them, which handlers should avoid entering) and flight zones (an imaginary area which if handlers enter will make the animal want to move away. Handlers control an animal's movement by understanding the flight zone); <input type="checkbox"/> lighting (as cattle prefer to move from the dark into the light); and <input type="checkbox"/> when and how to use such things as sticks and other implements; <input type="checkbox"/> Knowing the normal behavior of cows and the herd and to recognize the signs that indicate good health and welfare so that in the eventuality of an impending problem arising they are able to recognize it at the earliest stages; <input type="checkbox"/> Recognizing readily apparent behavioral actions of the cattle which indicate an inability of the animals to thermo-regulate (such as heavy panting and head-bobbing) and the actions that must be taken to provide relief to the cattle, especially when immediate actions are required; <input type="checkbox"/> Having a basic knowledge of what constitutes proper nutrition in dairy cattle; <input type="checkbox"/> Knowing normal body conditions in dairy cattle and the necessary steps to be taken if problems arise; and <input type="checkbox"/> Recognizing the signs of abnormal behavior and fear; <input type="checkbox"/> Recognizing deviations from normal cattle activity; <input type="checkbox"/> Having a basic knowledge of the signs of common diseases, illnesses, and injuries and knowing when either direct action must be taken and/or when the responsible personnel or the veterinarian must be notified; and <input type="checkbox"/> Knowing the procedures to be followed in the event of an emergency, i.e. the Emergency Response Plan. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>

<p>M41</p>	<p>Specialized Training of Stockpersons Documentation must be available for the training of stockpersons who are responsible for performing specialized duties, with emphasis on animal welfare, minimizing pain and distress to the animals, and optimizing health. Specialized training topics may include but are not limited to:</p> <ul style="list-style-type: none"> <input type="checkbox"/> the specific training in routine monitoring of individual cow health; recognizing unusual conditions or behaviors; recognizing signs for the early detection of injuries and lameness, sickness, and disease and the appropriate and timely remedial actions to be taken, either by the direct action of the stockperson or through the notification of the responsible personnel; <input type="checkbox"/> specific training for personnel responsible for any equipment which impacts animal welfare, such as milking machines, crowd gates, restraining equipment, downer handling equipment, etc., including: <ul style="list-style-type: none"> <input type="checkbox"/> proper use of the equipment, <input type="checkbox"/> performing routine maintenance to ensure that the equipment is kept in good working order, <input type="checkbox"/> recognizing common signs of malfunction, and <input type="checkbox"/> actions to be carried out in the event of equipment failure; <input type="checkbox"/> Understanding the physical and environmental requirements for cattle throughout each season and especially during breeding, calving, and weaning; <input type="checkbox"/> training in procedures for calving and the care of the newborn calf; <input type="checkbox"/> training in the processes during breeding, particularly the selection of suitable bulls, semen, and embryos for use in heifers; <input type="checkbox"/> training in the functional anatomy of the normal hoof, and its care and treatment; and <input type="checkbox"/> training in the functional anatomy of the normal teat and udder, to recognize signs of mastitis, and for the requirements to maintain good parlor hygiene and a well-maintained milking machine. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M42</p>	<p>Further Training Prior to performing procedures that have the potential to cause suffering (e.g. injections, oral-dosing, foot-trimming, disbudding/ dehorning, castration, identification, etc.), the stockperson must be able to demonstrate to the trainer that they are proficient in performing those procedures, with emphasis on animal welfare, minimizing pain and distress to the animals, and optimizing recovery wherever possible. Further training includes but is not limited to:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Specific training in recognizing cull and downer cows, determining whether an animal needs to be euthanized and who is responsible for making the decision, and determining whether transport of downers is appropriate; <input type="checkbox"/> specific training and confirmation of the approved stockpersons' proficiency in approved techniques for euthanasia; <input type="checkbox"/> specific training and confirmation of the approved stockpersons' proficiency in approved husbandry procedures and protocols; and <input type="checkbox"/> training in the proper methods of marking/ identifying cattle in a manner that avoids unnecessary pain and distress. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M43</p>	<p>Training of Outside Workers Workers outside of the dairy's control, such as foot trimmers, transport companies, etc., must be familiar with and conform to all requirements in these standards related to their duties, including but not limited to approved handling and moving of cattle including downers, approved protocols for the transport of cattle, and performing their duties proficiently and in a manner that minimizes undue stress to the animals etc. Outside workers must be held to the same standards of humane care as company employees. Documentation must be available confirming the qualifications of any outside employees, such as training records, a Certificate of Conformance, etc.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>

Inspections of Livestock

<p>M44</p>	<p>Daily inspections encompass the monitoring of animals' body condition and feed/water consumption; signs of lameness; condition of the coat, udder, and leg; cleanliness of the animals; and any signs of disease. All cattle must be inspected and monitored regularly to confirm animal health and for the early detection of injuries and early signs lameness, sickness, and disease so that appropriate and timely actions may be taken.</p> <ul style="list-style-type: none"> <input type="checkbox"/> All cattle must be inspected at least twice daily including cattle in all facilities (i.e. calving areas, hospital pens, bull pens, etc.) <input type="checkbox"/> Where cattle are maintained on open range or pasture, efforts must be made to track the location of the herd and check on its condition not less than once per week or more often during extreme weather, or as soon as possible after a severe weather event such as a blizzard. <input type="checkbox"/> Heifers calving on pasture must be inspected at least once daily. <input type="checkbox"/> Every cow must be inspected at drying-off, with a minimum dry period of 25 days. <input type="checkbox"/> Records must be kept on file for a minimum of one year of the following circumstances at a minimum: <ul style="list-style-type: none"> <input type="checkbox"/> records of mortalities, including the date, the age of the animal and the cause if known; and <input type="checkbox"/> records of culls, including the date, the age of the animal and the reason for culling. <input type="checkbox"/> <u>Carcasses must be removed away from live animals as soon as practical after discovery, and disposed of promptly thereafter.</u> <input type="checkbox"/> The stockperson performing the inspections must proceed in a careful, deliberate manner to avoid frightening the animals unnecessarily, and must follow a path that allows them to see all each animal. <input type="checkbox"/> During inspections or at any other time, if the stockperson observes any animal which appears to be behaving in an unusual manner, the stockperson must immediately notify the responsible personnel who will determine whether remedial actions are required. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M45</p>	<p>Producer Observations and Scoring Additionally, dairies are strongly encouraged to conduct and document herd health on a routine basis throughout the year by keeping records of routine health and environmental assessments. Recommended parameters for scoring are given in the noted section of this checklist. Documentation may include but is not limited to (check only the boxes that are applicable):</p> <ul style="list-style-type: none"> <input type="checkbox"/> Body Condition Scoring (see FW1); <input type="checkbox"/> Slips and Falls Scoring (see E43); <input type="checkbox"/> Lameness/ Locomotion Scoring (see E44); <input type="checkbox"/> Hygiene Scoring (see E45); <input type="checkbox"/> Leg Condition Scoring (see E46); <input type="checkbox"/> Udder Condition Scoring (see E40); and <input type="checkbox"/> Coat Condition Scoring (see E47). <p>Where an assessment is outside of the parameters noted, a program of mitigation must be developed and continued until parameters return to normal. When conducted, these records should be filed as part of the Herd Health Plan, including any program of mitigation.</p> <p>➤ <i>Auditor note: This question is scored either "Yes" if the dairy maintains records of routine health and environmental assessments, or "N/A" if the dairy does not. Do not score this question "No."</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>

Inspections & Maintenance of Equipment

<p>M46</p>	<p>Equipment Inspections and Maintenance Stockpersons must inspect all equipment on which the livestock rely on a daily basis, such as water troughs, feeding facilities, fans, and especially the milking equipment, whether the equipment is manual or automatic. Stockpersons must also perform routine, scheduled maintenance as defined in the SOPs. Where a defect is found (whether on inspection or at any other time):</p> <ul style="list-style-type: none"> <input type="checkbox"/> It must be rectified immediately; or <input type="checkbox"/> If the defect cannot be rectified immediately, the stockperson must follow any measures specified in the SOPs or take other actions as necessary to safeguard the animals from suffering unnecessary pain or distress as a result of the defect. These measures must be maintained until the defect has been rectified. <input type="checkbox"/> Routine maintenance must be performed per the equipment manufacturer's recommendations. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>M47</p>	<p>Inspections and Maintenance of Water Systems Water systems must be inspected and maintained daily to confirm that clean, fresh water is readily available to the cattle:</p> <ul style="list-style-type: none"> <input type="checkbox"/> water availability must be checked daily; <input type="checkbox"/> water delivery must be monitored to make sure water is provided at all times, that is, the water delivery must keep pace with the demand of the maximum number of cows who are able to drink at the same time; <input type="checkbox"/> the water source must not contain contaminants such as elevated levels of feed, algae, manure, nitrates, pathogens, etc.; and <input type="checkbox"/> samples of water must be taken and recorded periodically to ensure that water quality is acceptable for cattle. <i>State or local water quality requirements must be followed.</i> 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>M48</p>	<p>Inspections and Maintenance of Milking Machines Milking machinery/ the milking system must have a documented, routine maintenance and cleaning plan. Proper application, function, and maintenance of the milking machinery must be ensured by practicing the following:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Under- and over-milking must be avoided. <input type="checkbox"/> Appropriate teat cup liners must be used. <input type="checkbox"/> Teat cup liners must be checked daily and damaged/rough teat liners must be replaced. <input type="checkbox"/> Liners must be exchanged according to manufacturer's recommendations. <input type="checkbox"/> Pulsation rate release/squeeze ratio must be checked and corrected regularly. <input type="checkbox"/> The vacuum regulation must be functioning correctly and preventing vacuum fluctuation. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>M49</p>	<p>Inspections of Auxiliary Power Supply</p> <ul style="list-style-type: none"> <input type="checkbox"/> An auxiliary power supply (such as a standby generator), must be available and tested and maintained at least yearly or per manufacturer recommendations. <input type="checkbox"/> The auxiliary power supply must have sufficient capacity to operate critical equipment such as milking equipment, cooling system for the bulk tank, fans, feeders, waterers, and lights for at least 24 hours. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>M50</p>	<p>Ventilation & Environmental Controls Where equipment is provided for ventilation (if applicable):</p> <ul style="list-style-type: none"> <input type="checkbox"/> Ventilation equipment must be checked and maintained for proper operation. <input type="checkbox"/> Ventilation rates must be adjusted as necessary in order to maintain minimum ventilation requirements and to maintain air quality parameters including control of ammonia, dust, etc. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

<p>M51</p>	<p>Monitoring of Ammonia in Enclosed Environments Where cattle are kept in enclosed environments, such as barns not exposed to outside air, calf houses, etc.:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Ammonia levels measured monthly at the height of the animals should ideally be maintained at less than 10 ppm but in any case must not exceed 25 parts per million. <input type="checkbox"/> If ammonia limits are exceeded at any time, steps must be taken to mitigate ammonia, (such as replacing bedding, increasing ventilation, etc.) until ammonia returns to acceptable limits. <p><i>Note: Provisions must be made to ensure that aerial contaminants do not reach a level at which they are noticeably unpleasant to a human observer. Ammonia levels are to be maintained at less than 10 ppm wherever possible.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>M52</p>	<p>Inspections and Maintenance of Fencing</p> <ul style="list-style-type: none"> <input type="checkbox"/> All fencing must be regularly inspected and maintained and be free of sharp projections, protuberances, and other surfaces that may cause injury to the animals. <input type="checkbox"/> Electric fences must be designed, installed, used, and maintained so that contact with them does not cause more than momentary discomfort to the cattle. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

SOPs for Husbandry and Other Procedures

Note: All local and/or state regulations must be followed.

<p>M53</p>	<p>Husbandry Procedures Where necessary, producers must use only approved, humane husbandry procedures accepted by the American Humane Certified™ program. <u>All procedures must be performed at the earliest possible age.</u> These practices must not be performed on sick or injured animals. All of these practices must be performed by designated, trained and competent personnel or the herd veterinarian using appropriate, well-maintained equipment in order to minimize suffering and optimize recovery.</p> <p>➤ Auditor note: Check only the boxes that are applicable:</p> <p><u>Supernumerary Teat Removal:</u></p> <ul style="list-style-type: none"> <input type="checkbox"/> Removal of supernumerary teats is not permitted unless the teats will affect placement of the milking cup. In these cases, removal of supernumerary teats must be performed within 4 months under local anesthesia. <input type="checkbox"/> If removal of supernumerary teats is necessary for calves or heifers older than 4 months of age, the procedure must be performed under local anesthesia by a veterinarian. <p><u>Disbudding/Dehorning:</u></p> <ul style="list-style-type: none"> <input type="checkbox"/> The cautery paste method of disbudding is permissible for use only for calves less than 7 days of age. <input type="checkbox"/> The hot iron method of disbudding is permissible for use only for calves less than 30 days of age and must be performed under local anesthesia. <input type="checkbox"/> After 30 days of age, if dehorning is determined to be necessary, the procedure must be performed by a veterinarian under local anesthesia and the calves must be given NSAID treatment for post-procedure pain management. Efforts must be made to avoid dehorning older cattle unless they prove to be dangerous to herd-mates or human handlers. <p><u>Castration:</u></p> <ul style="list-style-type: none"> <input type="checkbox"/> <u>Castration must be performed at the earliest possible age.</u> Castration through the application of a band (rubber ring) to restrict blood flow to the scrotum is permissible after 24 hours of age and up through 4 days of age. <input type="checkbox"/> Where this is not possible, after 24 hours of age and up to 2 months of age, castration through use of a Burdizzo clamp or surgical castration performed by the veterinarian under anesthesia are permissible. <input type="checkbox"/> After 2 months of age, castration must be performed surgically by the veterinarian under local anesthesia with provisions made to control bleeding. <p><u>Tail Docking/ Switch Trimming:</u></p> <ul style="list-style-type: none"> <input type="checkbox"/> <u>Tail docking must not be performed.</u> <input type="checkbox"/> Previous tail docking on identified animals must be recorded and tail docking must not be practiced going forward. <input type="checkbox"/> Switch trimming is permitted only as necessary. <p><u>Surgical Procedures:</u></p> <ul style="list-style-type: none"> <input type="checkbox"/> Surgical procedures such as Caesarian-sections must be performed by a qualified veterinarian. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>M54</p>	<p>Induction of parturition must not be used as a routine management procedure, but only used per a veterinarian's recommendation.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>M55</p>	<p>Non-veterinarians performing per-rectum pregnancy detection must have received appropriate training.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

M56	Calving aids may only be used to assist a delivery and not to produce a calf as quickly as possible. Before any type of calving aid is used, the cow must be examined to ensure that the calf is of a size where natural delivery can be reasonably expected without causing undue pain and distress to either the dam or the offspring.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
-----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	----

Euthanasia Policy

The Euthanasia Policy includes provisions for routine euthanasia (culls). Euthanasia and disposal of carcasses must be consistent with applicable local, state, and federal regulations.

M57	<p>Euthanasia Policy A Euthanasia Policy must be available which includes provisions for humane and timely euthanasia. This policy must include:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Only properly trained, designated farm personnel or the herd veterinarian are to perform euthanasia. <i>A trained handler should demonstrate proper use of the euthanasia equipment to the auditor.</i> <input type="checkbox"/> Training records which identify: the names of the stockpersons who have undergone training; the name of the trainer; the specific method(s) of euthanasia covered in the training; confirmation that the trainees' competence in performing the procedure was validated by the trainer, including proper techniques and proper use of any equipment; and the date(s) that the training occurred. <input type="checkbox"/> Procedures stating that: <ul style="list-style-type: none"> <input type="checkbox"/> If there is any doubt as to whether euthanasia is required: the veterinarian or properly trained personnel must be called at an early stage to advise whether treatment is possible; OR <input type="checkbox"/> If the veterinarian or properly trained personnel determine that an animal is in severe, uncontrollable pain, then the animal must be promptly and humanely euthanized to prevent further suffering. <input type="checkbox"/> For euthanasia equipment: records showing that equipment has been maintained per the manufacturer's recommendations and that it is stored securely, protected from the elements, and kept clean. <input type="checkbox"/> The approved methods of euthanasia that are to be used for each age group of animals and under what circumstances. These methods must be approved by, and comply with, the latest edition of the American Veterinary Medical Association's AVMA Guidelines for the Euthanasia of Animals. <input type="checkbox"/> Procedures stating that the persons performing euthanasia must verify that each animal has been properly euthanized through the absence of: <ul style="list-style-type: none"> <input type="checkbox"/> Breathing for five minutes; <input type="checkbox"/> A heart beat for five minutes; and/ or <input type="checkbox"/> A corneal reflex (a blinking reflex upon touching the eye.) <input type="checkbox"/> If the animal is not successfully euthanized, the same method or an alternate method must be performed immediately. <input type="checkbox"/> Logs stating the reason for euthanasia, the date, the competent personnel performing the euthanasia, numbers of animals euthanized, and the procedure used. <input type="checkbox"/> Procedures for the prompt, proper disposal of carcasses and records of the name of the outlet through which all such carcasses are disposed, unless carcasses are disposed of on-farm, in which case records are kept of the disposal method. Disposal must meet all state, local, and/or federal regulations. <p><u>Nothing stated here is intended to discourage the prompt diagnosis and appropriate treatment of any ill or injured animal.</u></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/50
-----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	-----

On-Site/ Food & Water

Livestock must have freedom from hunger, thirst, and malnutrition by ready access to fresh water and a diet designed to maintain full health and promote a positive state of well-being. Feed and water must be distributed in such a way that livestock can eat and drink without undue competition.

Food

		Selection	Score
FW1	<p>Body Condition Score</p> <ul style="list-style-type: none"> <input type="checkbox"/> All cattle must be fed a wholesome and appropriate diet for their age and species and which is fed to them in sufficient quantity so that they sustain full health and over their maximum foreseeable lifespan. Cattle must have daily access to food, unless otherwise required by a veterinarian. <input type="checkbox"/> Body condition change in cattle must be monitored and maintained according to the stage of production using the Body Conditioning Score (BCS) by Edmonson et al, or an equivalent BCS: <ol style="list-style-type: none"> 1. Severe under-conditioning or extremely thin 2. Frame obvious 3. Frame and covering well-balanced 4. Frame not as visible as covering 5. Severe over-conditioning or extremely fat <input type="checkbox"/> 98% of all lactating cows must have a BCS between 2.0 and 4.5 on a 5-point scale. <input type="checkbox"/> Any animal with a BCS of less than 1.5 must be placed under individual treatment in order to bring BCS back to acceptable levels. <input type="checkbox"/> Any animal with a BCS of greater than 4.5 must have a documented nutrition and reproductive plan in concert with the nutritionist and veterinarian in order to bring BCS back to acceptable levels. <p><u>Note: Body Condition Score is considered a Core Criterion as evidence of animal health. Unacceptable BCS may result in probation from the American Humane Certified™ program. See “P/F 2” below also.</u></p> <p>➤ Auditor note: All lactating cows must be included in the sample. Record all lactating cows with either a BCS less than 2.0 or more than 4.5 and compare to the total number of lactating cows.</p> <p style="padding-left: 40px;">_____ Percentage of lactating cows with a BCS between 2.0 and 4.5.</p> <p>➤ Auditor note: See “P/F 2” below also.</p> <p><i>Reference: Edmondson et al. 1989. Body Conditioning Score. Journal of Dairy Science, 72(1), p.73.</i></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/50
FW2	<p>Bunk Space in Indoor Housing</p> <p>Adequate bunk space must be provided so that cattle do not need to compete for food. Minimum bunk space must be:</p> <ul style="list-style-type: none"> <input type="checkbox"/> At least 30” per cow for 21 days before and after calving. <input type="checkbox"/> At least 24” per cow all other times. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
FW3	<ul style="list-style-type: none"> <input type="checkbox"/> Feed troughs/bunks must be clean and free of stale or moldy feed. <input type="checkbox"/> Automatic feed delivery systems (e.g., grain delivery systems in milking barns or in corrals) must be clean and free of stale feed and in good working order. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
FW4	<p>Non-feed items/products (such as herbicides, pesticides, chemicals, machinery oil, etc.) must be stored away from the feed mixing or ingredient and supplement storage areas.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
FW5	<p>Control practices must be in place to minimize access to poisonous plants and unsuitable feedstuffs.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

Water

<p>FW6</p>	<p>Access to Water</p> <ul style="list-style-type: none"> <input type="checkbox"/> All cattle, including calves older than 1 day and cows in confinement, must be provided with continuous access to an adequate supply of clean, fresh drinking water each day, except when otherwise required by the attending veterinarian. <input type="checkbox"/> The availability of water, which includes the flow rate of the water delivery systems, must meet the demands of the herd: <ul style="list-style-type: none"> <input type="checkbox"/> at least 10% of the herd must be able to drink at any one time; <input type="checkbox"/> no more than 3 cows may be standing in line waiting to drink at water stations; and <input type="checkbox"/> water tanks, troughs, etc. must be full when not being used, and must not completely drain when cows are drinking. <input type="checkbox"/> Waterers must be placed at a height appropriate to the size and age of the cows. <p><i>Note: it is recommended that there be a minimum of 2 ½ to 3 ½ feet of trough waterers for every 10 cows, or a minimum of 2 feet of tank perimeter for every 10-20 cows. These requirements must be increased in hot weather or at any time when the number of waterers is unable to keep pace with the demands of the herd, as noted above.</i></p>	<p> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A </p>	<p>/50</p>
<p>FW7</p>	<p>For indoor housing:</p> <ul style="list-style-type: none"> <input type="checkbox"/> All waterers must be thoroughly clean: watering equipment must be designed, constructed, placed, and maintained so that contamination of the animals' water is minimized. <input type="checkbox"/> Water troughs must not leak resulting in wetting/fouling of the bedded areas. <p><i>The area surrounding water tanks, troughs, etc. should be on concrete where possible.</i></p>	<p> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A </p>	<p>/3</p>
<p>FW8</p>	<p>When cattle are kept primarily on pasture:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Clean, fresh water must always be available, and must meet the requirements for 'Access to Water' noted above. <input type="checkbox"/> During winter, the water supply must be kept clear of ice. <input type="checkbox"/> The area around the water troughs must be managed to avoid excessive wetting/ sodden ground and mud. <input type="checkbox"/> Local, state, and federal laws regarding cattle access to running or still water resources must be followed. <p><i>The area around water tanks, troughs, etc. should be placed on concrete aprons to limit mud or sodden ground.</i></p>	<p> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A </p>	<p>/3</p>
<p>FW9</p>	<p>Emergency Water Supply</p> <p>Provisions must be in place to ensure an emergency supply of suitable drinking water in case normal supplies fail (e.g., due to freezing, drought, power failure, well malfunction, etc.).</p>	<p> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A </p>	<p>/10</p>

On-Site/ Environment

The environment in which the cattle are kept must take into account their welfare needs and provide the best husbandry approaches; must meet all industry standards and governmental regulations; must be designed to protect the cattle from physical and thermal discomfort, fear, and distress; and must allow the them to perform their natural behaviors. All equipment and fixtures must be selected, installed, and maintained to optimize the well-being of the cattle. The animals must be protected from pain, injury, and disease, and their environment must be conducive to good health.

Buildings

E1	A copy of the current American Humane Certified™ Animal Welfare Standards for Dairy Cattle must be available on-site as a reference for all stock-keepers/ workers at the dairy.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
E2	Emergency Contact Information Emergency Contact Information, in worker’s native language as necessary, must be posted onsite. This must include: <ul style="list-style-type: none"> <input type="checkbox"/> emergency contact information and numbers, i.e. fire department, local utilities, etc. and site address; <input type="checkbox"/> Primary and alternate contact numbers for the notification of individual(s) responsible for reacting to emergencies, i.e. farm workers/ managers, family members, and/or owner as appropriate. <i>Note: it is recommended to provide contact numbers for at least three responsible farm workers and/or family members when possible, and a “telephone tree” to ensure that all responsible parties may be contacted if necessary;</i> and <input type="checkbox"/> Procedures to be followed by those discovering an emergency such as fire, floods, storms or other severe weather, interruption of power or water, etc., and contingency plans and precautions to cope with emergencies in order to safeguard the welfare of the animals. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10

Environmental Safety

<p>E3</p>	<p>Environmental Safety There must be no physical features of the external or internal environment that cause recurring injuries to cattle.</p> <p><i>Injury is defined as damage severe enough for the formation of granular scar tissue that is to an extent significantly greater than would be caused by accidental bumps and scratches. Excessive occurrence of the following may be indicators of a poor environment: neck calluses; knee and/or hock swellings/calluses; teat/udder injuries; broken tails; hematomas; chronic scar tissue; soft hooves; inter-digital infections; laminitis; abscesses; and/or bruised soles.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> The construction of pens and fenced pastures to which livestock have access must be designed, constructed, maintained, and regularly inspected to ensure that there are no features that are likely to cause injury or distress to the animal. <input type="checkbox"/> The interior of any building, including the floor and all internal fittings/surfaces to which livestock have access, must be designed, constructed, maintained, and regularly inspected to ensure that there are no sharp edges or protrusions likely to cause injury or distress to the animal. This includes the provisions of adequate and safe holding and handling facilities (whether indoors or outdoors) as well as to transportation vehicles. Particular attention must be paid to handling pens. <input type="checkbox"/> Floors must be made of non-slip material or must be maintained to reduce the risk of slipping (sand, mats, or other materials are applied when necessary). <input type="checkbox"/> Concrete floors must be grooved approximately 1/3" - 1/2" or treated with a non-slip coating/belting. <input type="checkbox"/> Floors must not be so rough as to cause hoof damage. <p><i>Lesions and wounds on animals along with lameness are indicators of building conditions which needs immediate remediation. See also "Lameness/Locomotion Score" below.</i></p> <p><i>Reference: Temple Grandin, PhD. 2007. Recommended Animal Handling Guidelines and Audit Guide, 2007 Edition. North American Meat Institute Foundation. pp. 43-44.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>E4</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Except where preservatives with an insecticidal role are used, cattle or calves must not come into contact with toxic fumes from chemicals. <input type="checkbox"/> Creosote-treated wood and lead-based paint must not be used. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E5</p>	<p>All electrical installations must be inaccessible to cattle, well-insulated, safeguarded from rodents, properly grounded, and regularly tested for stray voltage.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E6</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Passages must be of such design and width, and so constructed, to allow animals to pass freely. <input type="checkbox"/> Care must have been taken to minimize, and ideally exclude, the number of blind alleyways in the buildings, in order to avoid the incidences of bullying by dominant animals. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E7</p>	<p>Internal surfaces of housing and pens must be made of materials which can readily be cleansed and disinfected or easily be replaced when necessary.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E8</p>	<p>Where used, euthanasia equipment must show no obvious signs of neglect, i.e. rust, dirt and grime, and must be stored in a secure location protected from the elements.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E9</p>	<p>Buildings must be a height adequate to allow the normal expression of mounting behavior in estrus.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

Auxiliary Power Supply

E10	<p>Auxiliary Power Supply An auxiliary power supply, such as a standby generator, must be available and functional.</p> <p>➤ Auditor note: a stockperson must demonstrate that the auxiliary power supply is available and functional.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
-----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	-----

Thermal Environment & Ventilation

E11	<p>Cattle must be maintained in a thermally comfortable environment for their age according to the species guidelines at all times.</p> <p>➤ Auditor note: cattle must not show signs of being excessively hot or excessively cold.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
E12	<p>Ventilation</p> <ul style="list-style-type: none"> <input type="checkbox"/> All structures must have effective ventilation, permitting air movement at low velocity while avoiding drafts and ingress of rain and snow. <input type="checkbox"/> System must provide adequate ventilation to remove the moisture produced by the stock and to reduce the number of airborne pathogens being passed from animal to animal. <input type="checkbox"/> A professional must be consulted as necessary to determine adequacy of design and to rectify ventilation problems, including modifications to the ventilation rates and/or equipment. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
E13	<p>Where the automatic equipment includes a ventilation system, the system must contain additional equipment or means of ventilation (whether automatic or not) which, in the event of such a failure of the ventilation system, will provide adequate ventilation so as to prevent the livestock from suffering unnecessary distress as a result of the failure.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
E14	<p>Ammonia Levels in Enclosed Environments Ammonia levels in any enclosed environments (such as barns, calf houses, etc.), measured by the auditor at the height of the animals should ideally be less than 10 ppm but must not exceed 25 parts per million.</p> <p>➤ Auditor note: for all enclosed locations, measure ammonia levels at the height of the animals, and <u>list location + result of ammonia test in the "Notes" below.</u></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25

Lighting

E15	<p>For fully enclosed housing, artificial lighting must be provided as needed to supplement natural light. The daytime light levels must be bright enough to allow facilities and animals to be inspected and workers to perform their duties without additional portable lighting (such as a flashlight, portable lamp, etc.)</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
E16	<p>Adequate lighting, whether fixed or portable, must be available to enable the livestock to be thoroughly inspected at any time.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

Lying Area/Space Allowances

<p>E17</p>	<p>Cattle kept in dry lots must have access at all times to a lying area which is well-drained, well-maintained with dry bedding, and of sufficient size to accommodate all cattle lying down together in normal resting posture. In conditions where the temperature/humidity index is above 72 degrees, a shaded area must be accessible.</p> <ul style="list-style-type: none"> <input type="checkbox"/> In semi-arid conditions: minimum loafing space in loose housing is 40-50 sq. ft./adult cow <input type="checkbox"/> Unpaved earthen exercise corrals for groups of 100 cows is 50-60 sq. ft./cow. <input type="checkbox"/> Corral space may be reduced to 100 sq. ft. per cow on paved lots. <input type="checkbox"/> Provisions must have been made for shade and misting or sprinkling systems. <input type="checkbox"/> Shade structures must be designed to accommodate all animals together. Examples of this would be to allow animals back into the buildings or to utilize natural shade. <input type="checkbox"/> In cooler climates: 20-30 sq. ft. of roofed area per head for small breeds or 30-40 sq. ft. for larger breeds must be provided. <input type="checkbox"/> The depth of mud in the exercise space must not be above cows' fetlock joints. 	<p> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A </p>	<p>/25</p>
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------	-------------------

Freestall Housing

The emphasis of freestall housing design is to maximize the comfort of the animal. Given the wide range of sizes and bodyweights within and between herds and individual breeds, it is difficult to prescribe actual dimensions.

E18	<ul style="list-style-type: none"> <input type="checkbox"/> In freestalls, stocking densities must be 1 cow per available freestall. <input type="checkbox"/> A “loafing” area must be provided. <input type="checkbox"/> Unbedded areas must be slatted or of solid concrete, and slats must not result in injury to feet. <input type="checkbox"/> Unbedded areas must be scraped at least daily. <input type="checkbox"/> Cows must be able to lie down in a normal position without risk of being walked on, stepped on, or kicked by other cows. <ul style="list-style-type: none"> <input type="checkbox"/> The stall must be constructed so that it prevents the animal from standing so far forward that it consistently soils the back of the stall. <input type="checkbox"/> Cows must be able to change position from standing to lying and vice versa in a normal manner without difficulty or injury, and with adequate space to allow the normal forward lunging motion during this maneuver. <input type="checkbox"/> When lying, all of the cow’s body must be on the bed including the hocks and the udder. <input type="checkbox"/> Freestalls must be designed to align a cow properly, and must prevent interference with, or injury to, her neighbor or herself. <input type="checkbox"/> The step between the freestall bed and the dung passage must avoid slurry being pushed into the bed during scraping and must encourage cows to enter the cubicle head first. The height of the step must not be such that it results in an increased incidence of concussion injuries to the hooves. <input type="checkbox"/> Where problems do exist with free-stalls, through animals rejecting, becoming stuck in, or lying half-in and half-out of them, or with recurring injury as a result of poor design, professional advice must be sought for remedies, and records must be kept on file. <input type="checkbox"/> Freestall housing must provide a clean, dry and comfortable bed, free from contamination with feces or urine. <ul style="list-style-type: none"> <input type="checkbox"/> The slope from rear to front must be approximately 4%. <input type="checkbox"/> Stalls must be bedded to a minimum depth of 3 inches. <input type="checkbox"/> Adequate clean bedding must be provided. <input type="checkbox"/> Cow mattresses (not the solid type) must be used with an adequate layer of bedding to prevent damage and swelling of the cows’ legs. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	------------

Access to Turnout Lots/ Pasture

E19	<p>When cattle are provided voluntary access to pasture or turnout/exercise lots, if weather and climatic conditions are suitable:</p> <ul style="list-style-type: none"> <input type="checkbox"/> The turnout/exercise lots are of the most benefit if they are not concrete; <input type="checkbox"/> The turnout/exercise lots are of the most benefit if they are shaded; <input type="checkbox"/> Lots must be mounded, drained and otherwise maintained to control mud. <input type="checkbox"/> Auditor's note: Access to pasture or turnout/exercise lots is not required. If cattle are not provided access to pasture or turnout/exercise lots, check N/A. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
-----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	-----

Additional Housing Requirements

E20	Loose-housed, growing cattle (calves to heifers) must be grouped according to size and age.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
E21	The space allowance for cattle housed in groups must be calculated in relation to the whole environment, the age, sex, live weight, and behavioral needs of the stock, taking account of the presence or absence of horns and the size of the group.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
E22	All cattle at all times must have sufficient freedom of sideways movement to be able to groom themselves without difficulty, and sufficient room to lie down, freely stretch their limbs, and to rise again.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

Calving Environment

E23	<p>When calving cows are kept confined in a building, the following applies:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Cows must be provided a clean, dry, fully bedded maternity area; <input type="checkbox"/> Cows must have free access to water; and <input type="checkbox"/> Cows that are ready to give birth must be kept separate from the rest of the herd and from other species of livestock. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/10
E24	<p>The maternity area:</p> <ul style="list-style-type: none"> <input type="checkbox"/> must be constructed of materials that are smooth and impervious to water and are easily cleaned; <input type="checkbox"/> must be equipped with a means of humanely restraining the cows (e.g. a stanchion or holding gate) to permit a person to safely attend to the cows and their calves if necessary; and <input type="checkbox"/> must have effective insulation, heating, and ventilation to ensure that air quality, temperature, and ventilation are kept within limits which are not harmful to the cows or their calves. This must be confirmed by: <ul style="list-style-type: none"> <input type="checkbox"/> no evidence of condensation, no odor issues, and no visible dust; and <input type="checkbox"/> the recording and monitoring of temperatures. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

Calf Houses

<p>E25</p>	<p>Where individual calf houses are used:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Individual calf houses must be sized appropriately for the age, size and breed of the animal. The size of the house must allow the calves space to be able to stand up, turn around, lie down, rest and groom themselves without hindrance or injury. <input type="checkbox"/> The house must be ventilated to remove excess humidity, ammonia and condensation while at the same time eliminating drafts but retaining constant air circulation. <input type="checkbox"/> Houses must be placed on a free draining base and affixed to the ground to prevent movement in high winds, when necessary. <input type="checkbox"/> Houses must be sited at a sheltered location, away from prevailing weather, and provided with shade from direct sunlight. <input type="checkbox"/> There must be enough bedding in the house to exclude any drafts, and allow the calf to nest down during cold weather. <input type="checkbox"/> Calves must have access to a dry bed at all times which is changed as needed cleanliness (i.e. for maintaining calf hygiene standards). <input type="checkbox"/> Houses must be arranged so that calves may see and hear other calves in neighboring houses. <input type="checkbox"/> Houses must be constructed of materials which facilitate cleaning and disinfection. <input type="checkbox"/> Houses must be constructed of materials that minimize heat stress and wide temperature fluctuations. <p>➤ <i>Auditor note: provide dimensions and general description of calf houses in the "Notes" below (for example "38 X 60" wood frame house with shade")</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>E26</p>	<p>When calves are kept in group pens, devices must be available to reduce inappropriate sucking behavior of the calves:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Calves must not be muzzled or physically altered to prevent suckling. <input type="checkbox"/> Alternative devices such as artificial nipples and plastic nose clips are acceptable for use if they are designed in such a manner that there are no sores or signs of irritation of the calves' nostrils. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E27</p>	<p>Calves may be kept in individual stalls for health reasons. The location or placement of individual calf pens used for quarantine must be such that each calf has an opportunity to see and hear other calves but with no physical contact.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E28</p>	<p>Waste feed and water must be disposed and stored at a site away from the calves.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

Bull Pens

<p>E29</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Bull pens must be sited to allow the bull sight, sound, and odor of other cattle and general farm activity. <input type="checkbox"/> Individual accommodations for an adult bull of average size must include a bedded sleeping area of not less than 144 sq. ft. (e.g., 12 ft. by 12 ft.). <input type="checkbox"/> For very large bulls, the sleeping area must not be less than 9 sq. ft. for each 132 lbs. live weight. <input type="checkbox"/> Bull pens must be safe for the stockmen tending them. Adequate restraining facilities and an escape route must be provided. <input type="checkbox"/> Exercise and service areas must be provided to the bulls. <input type="checkbox"/> The service area must have a non-slip surface. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
-------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------	-------------------

Handling & Treatment Facilities

E30	<input type="checkbox"/> All handling facilities such as veterinary facilities, loading ramps and milking parlor must have non-slip flooring and must be constructed of materials which are easily cleaned. <input type="checkbox"/> Internal walls of hospital boxes must be smooth and impervious to water and must be made of materials which are easily cleaned.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
E31	<p>Alleyways and gates must be designed and operated so as not to impede the movement of cows.</p> <input type="checkbox"/> Alleyways and gates must be free from protrusions or other hazards which have the potential to injure the animals. <input type="checkbox"/> When operating gates and catches, effort must be made to reduce excessive noise which may cause distress to the animals, and if necessary, noise reduction mechanisms must be fitted to gates. <input type="checkbox"/> Gates must open and swing smoothly, and close securely.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
E32	<input type="checkbox"/> Loading facilities must provide a ramp of no more than 20% incline. <input type="checkbox"/> Loading ramps and tail boards must be fitted with fences or rails to prevent the cows from slipping and falling off. <input type="checkbox"/> Ramps may be of concrete or earth and, where concrete, must be fitted with appropriately designed and spaced foot cleats/ battens, stair-steps, or other flooring surface that prevents slipping. <input type="checkbox"/> A loading bay and/or ramp must be provided, and must be well lit to enable animals to walk straight into or out of the vehicle on a level or slight gradient. <p><i>Note: It is generally recommended that solid sides are used in races, chutes, crowding pens, and loading ramps to avoid distraction and balking in cattle. Solid sides provided the greatest advantages where there are many distractions, such as vehicles, moving equipment, and people walking by.</i></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

Wind Breaks, Sun Shade, & Sprinklers

<p>E33</p>	<p>Cattle kept on pasture/ range grazing conditions must be provided with shelter, shade, and windbreaks to allow them the opportunity to thermo-regulate and to mitigate welfare risks in adverse weather.</p> <p><i>Shelter, shade, and windbreaks can be provided by geographical features such as well-drained hills and canyons, natural vegetation such as shrubs and tree belts, or manmade structures that are strategically placed to block prevailing winds.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E34</p>	<p>All facilities must provide cattle with the opportunity to properly thermo-regulate. Cattle must be provided with adequate space to perform behavioral adjustments important to thermoregulation and have access to facilities or natural shelters or barriers.</p> <p><i>A one- or two-sided structure with a roof can provide shelter to cattle during periods of intense cold. Structures should be built with the open sides facing south or east (depending on prevailing winds) to maximize effects of solar radiation during the winter.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E35</p>	<p>When cattle are kept confined in partially roofed units (open fronted shed, covered feeding areas, etc.) they must be provided with effective protection from the wind and a comfortable, dry lying area.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>
<p>E36</p>	<p>Summer/ High Heat and Humidity Conditions For summer/ high heat conditions, a shaded area or water systems must be accessible to the cattle to provide cooling.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Artificial or natural shade must be provided or animals must be allowed access to buildings. <input type="checkbox"/> Sun shades must be provided for open pastures in regions where heat and humidity can be extreme. <input type="checkbox"/> In all circumstances cattle must be monitored for signs of heat stress, especially dark-colored and the heavier animals. <u>When cattle show signs of moderate to severe heat stress, such as head bobbing or open-mouth panting, immediate remedial actions must be taken to provide relief.</u> <p><i>Cattle not conditioned to extreme conditions may suffer heat stress and die. The provisions of shade can make a difference under extreme conditions. In the Southwest U.S., shades should be 12 to 14 ft. high and in the Eastern U.S. 7 to 9 ft. high. The amount of shade provided depends on the size and number of cattle. A rule of thumb for young stock is 7.5 to 13 ft² per animal and for adult cattle 19.4 to 27 ft² per animal. During periods of extreme heat the use of water can assist in preventing heat stress through evaporative cooling. Cattle can also be cooled by water cannon, sprinklers or other appropriate devices.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>E37</p>	<p>Winter/ Cold or Wet Conditions For winter/ cold or wet conditions, shelters and windbreaks must be provided to the cattle to mitigate wind chill and hypothermia.</p> <p><i>Windbreaks can consist of natural tree belts, fences, or manmade structures that are strategically placed to block prevailing winds. Natural geographic features such as hills or canyons may be used in pasture range grazing conditions.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>E38</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Open dirt lots must be mounded to provide dry resting areas for cattle and must meet EPA Standards for control of dust. <input type="checkbox"/> During periods of prolonged wetness, mud must be managed so the depth of mud in the loafing area is not excessive or cause for difficult travel by cattle to and from feeding and watering areas. <input type="checkbox"/> Mud over depth of the fetlock joint must not be allowed to persist for long periods. 	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

Milking Barn/ Parlor

➤ *Note to auditor: The milking parlor must be observed during milking for every audit-day.*

<p>E39</p>	<p>Milking Parlor Hygiene High standards of hygiene must be practiced in the parlor to reduce the risk of infection:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Cows must be clean at milking, with particular attention paid to the udders and teats. <input type="checkbox"/> Udder, teats, and flanks must be clean, dry, and free from sores on entry to the parlor. <input type="checkbox"/> All teats must be treated with an approved teat disinfectant. Emollients must be used when teats are dry, chapped, or cracked. <input type="checkbox"/> Parlor staff must have clean hands when handling teats. <i>The usage of clean rubber or nitrile gloves should also be considered.</i> <input type="checkbox"/> Towels must be cleaned and sanitized between milkings (unless single-use towels are used.) <input type="checkbox"/> Following completion of milking, cows must be encouraged to remain standing for approximately half an hour to allow the teat canal sphincter to close before returning cows to their housing area. <input type="checkbox"/> Crowd gates at milking parlor must have no devices which impart electric shocks to the cattle. <input type="checkbox"/> Protocols must be in place to provide for the rapid exit of the parlor in the case of an emergency. <p><i>Note: it is recommended that there be a smooth, consistent routine surrounding the milking of cows and making the milking process a positive experience for the cows. Medical procedures and any other possibly unpleasant activities should be performed separately so that the cows have no negative association of milking with these activities.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>E40</p>	<p>Udder Condition Score</p> <ul style="list-style-type: none"> <input type="checkbox"/> No more than 2% of all cows may have very pendulous udders or broken udder suspension. <p>➤ <i>Auditor note: Record all cows with very pendulous or broken udder suspension in one group or pen and compare to the total number of cows in that group or pen.</i></p> <p>_____ Percentage of cows with very pendulous udders or broken udder suspension.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/10</p>
<p>E41</p>	<p>Segregated Cows Provisions must have been made to allow the milking of segregated cows.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/3</p>

State and Federal Milk Requirements

<p>E42</p>	<p>Documentation must be available showing that dairy operations meet governing state and federal ordinances for milk products.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
-------------------	-------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------	-------------------

Auditor Evaluations of Livestock

<p>E43</p>	<p>Incidence of Slips and Falls Score The incidences of slips and/or falls in traffic areas, handling areas, and especially the milking parlor must be evaluated and scored per the method NAMI "Scoring of Slipping and Falling." <input type="checkbox"/> The incidence of falls (where the animal's body touches the ground) must not exceed 1%. <input type="checkbox"/> The incidence of slips must not exceed 3%.</p> <p>➤ <i>Auditor note: As a minimum, score all cows in one pen or group while the cows are in locomotion, such as when being moved to the milking parlor or to pasture.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>E44</p>	<p>Lameness/Locomotion Score <input type="checkbox"/> As a minimum, 95% of the lactating and dry cows must have a Lameness/Locomotion (L/L) Score 1 or 2 on a 5-point scale:</p> <ol style="list-style-type: none"> 1. Cow walks with a normal gait. 2. Cow walks with normal gait but back is slightly arched. 3. A lame cow is still fully mobile and can keep up with the herd but is walking with obvious limp. 4. The cow is no longer able to keep up with the herd but is still mobile and walking with an obvious limp. 5. The cow walks with great difficulty and is not able to keep up with the herd. <p><i>"Keeping up with the herd" is assessed when the cows are moved as a group from one location to another.</i></p> <p><u>Note: Lameness/Locomotion Score is considered a Core Criterion as evidence of animal health. Unacceptable L/L may result in probation from the American Humane Certified™ program. See "P/F 3" below also.</u></p> <p>➤ <i>Auditor note: L/L must be scored for all of the lactating and dry cows using a statistical sample of 95% confidence with 5% margin of error.</i></p> <p>_____ Percentage of lactating and dry cows with L/L of 1 or 2.</p> <p>➤ <i>Auditor note: See "P/F 3" below also.</i></p> <p><i>Reference: Steven L. Berry, DVM, MPVM; Univ of Davis, CA, and Zinpro® Corporation 1997, in J Hulsen, Cow Signals</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>

<p>E45</p>	<p>Hygiene Score</p> <p><input type="checkbox"/> 90% or more of the cows must have a hygiene score of 1 - 2 out of 4, scored using the N. B. Cook Hygiene Scoring Card for scoring:</p> <ol style="list-style-type: none"> 1. Clean cow. 2. Legs are soiled but belly and udder are clean. 3. Legs, belly and udder are soiled. 4. Legs, belly, and sides of body are soiled. <p><input type="checkbox"/> 95% or more of the calves must have a hygiene score of 1 - 2 using the same scoring.</p> <p>➤ <i>Auditor note: Hygiene must be scored for all cows and calves. Record all cows and calves that do not have acceptable hygiene scores and compare to the total group size.</i></p> <p>_____ Percentage of cows with hygiene score of 1-2 out of 4. _____ Percentage of calves with hygiene score of 1-2 out of 4.</p> <p><i>Reference: Nigel B. Cook and Douglas J. Reinemann. 2007. A Tool Box for Assessing Cow, Udder, and Teat Hygiene. Proceedings of the 46th Annual NMC Meeting, San Antonio, TX. January 21-24. http://www.vetmed.wisc.edu/dms/fapm/fapmtools/4hygiene/hygiene.pdf</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------	-------------------

➤ Auditor note: The following evaluations must be performed on all animals as noted. Record all animals that do not meet the criteria and compare to the size of the noted group.

<p>E46</p>	<p>Leg Condition Score</p> <p><input type="checkbox"/> 90% or more of the lactating cows must have a Leg Condition Score (LCS) of 0 or 1:</p> <p>0 – No hair loss on hock 1 – Hock hair loss only (LCS of 1, 2, or 3 cannot exceed 10% of the lactating cows) 2 – Leg swelling but smaller than a baseball (LCS of 2 or 3 cannot exceed 2% of the lactating cows) 3 – Severe leg swelling larger than a baseball or open cuts with oozing. (Any cows with LCS of 3 MUST be under the care of the herd veterinarian.)</p> <p>_____ Percentage of lactating cows with LCS of 0 or 1 _____ Percentage of lactating cows with LCS of 2 or less</p> <p><input type="checkbox"/> All cows with leg conditions must be treated under the direction of the farm veterinarian and as documented in the Herd Health Plan.</p> <p><i>Reference: W.K. Fulwider, et al. Influence of Free-Stall Base on Tarsal Joint Lesions and Hygiene in Dairy Cows. Journal of Dairy Science, V.90 pp.3560-6.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>E47</p>	<p>Coat Condition 98% or more of the cattle must have no bald spots on their coat.</p> <p><i>Bald spots may be indicative of external parasites such as lice and ringworm, and affected animals must be treated.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>
<p>E48</p>	<p>Tail Condition 98% or more of the cattle must have undamaged, unbroken tails.</p> <p><i>Broken tails sometimes result from accidents; however cattle must not have damaged or broken tails that point to the use of excessive force by the handlers.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>	<p>/25</p>

Transport

Animal transport systems must be designed and managed to ensure that animals are not caused unnecessary distress or discomfort. The transport of animals must be accomplished in the shortest time possible and handling must be kept to an absolute minimum. Personnel involved in transport, including outside employees, must be thoroughly trained and competent in their duties and use appropriate equipment and vehicles.

Transport SOPs

T1	All individuals involved in the handling and transport of cattle, including outside employees, must be trained and knowledgeable about cattle behavior and animal welfare and in the proper protocols for transport, i.e. the Transport SOPs. This must be demonstrated through Certificates of Conformance (COCs) and documentation of appropriate training.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T2	Transport SOPs The producer must maintain Standard Operating Procedures (SOPs) for Transport. The Transport SOPs as a minimum must: <ul style="list-style-type: none"> <input type="checkbox"/> address steps that are taken to protect the animals during periods of inclement weather; and <input type="checkbox"/> outline protocols and contingency plans to be taken in the event of an emergency, such as vehicle break-down, accidents, road closures, etc. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T3	<ul style="list-style-type: none"> <input type="checkbox"/> All animals must be examined and shown to be fit and healthy for transport. <input type="checkbox"/> Pregnant cows that are expected to give birth within 21 days may only be transported if consideration is given to length of transport and animal comfort. <input type="checkbox"/> The following animals must not be transported, except in emergencies or for medical treatment: <ul style="list-style-type: none"> ○ Animals which are unable to walk unassisted or stand on all four limbs. ○ Fatigued, sick, or injured animals or animals with a BCS less than 2 unless approved by the veterinarian for movement to a treatment facility. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T4	<ul style="list-style-type: none"> <input type="checkbox"/> Cattle must not be kept in holding areas for more than 12 hours prior to loading. <input type="checkbox"/> Feed and water must be available up to 4 hours prior to loading. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

Loading & Transport of Animals

T5	Stock-keepers must know the behavioral characteristics of animals and how to handle animals during loading and unloading, including: <ul style="list-style-type: none"> <input type="checkbox"/> using visual fields (i.e. cattle have a wide field of vision but have a blind spot behind them, which handlers should avoid entering) and flight zones (an imaginary area which if handlers enter will make the animal want to move away. Handlers control an animal's movement by understanding the flight zone). <input type="checkbox"/> lighting (as cattle prefer to move from the dark into the light); and <input type="checkbox"/> when and how to use such things as sticks and other implements. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T6	Handlers must use only the minimal amount of force as necessary to maintain control of the animals and ensure the welfare of the animals and of the handlers. When the welfare of the handler or of the animals is in jeopardy, sticks or electric prods may be used on the hindquarters of animals capable of moving, and only on cattle over the age of six months.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T7	Noise levels, sudden movements, and flashes of light must be minimized during loading and transport.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

T8	Every effort must be made to ensure that journeys are completed without unnecessary delays, that drivers are familiar with the route and are aware of any potential traffic problems, and that they plan their journey accordingly.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T9	Cattle must be loaded and unloaded using suitable and adequately-sized ramps, bridges, gangways, or mechanical lifting gear, operated so as to prevent injury or unnecessary suffering to any animal.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T10	Ramps, bridges, gangways, and loading platforms must have a fence or rail on each side that is of sufficient strength, length and height to prevent any animal from falling or escaping; and is positioned so that it will not result in injury.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T11	Loading and transport equipment must be regularly inspected and maintained in good repair. Equipment must be free of projections/ other surfaces that may cause injury and gaps that are of a size whereby the animal could become trapped.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T12	<input type="checkbox"/> The flooring of the loading and transport equipment must be constructed to prevent slipping. <input type="checkbox"/> The incidences of slips and or falls that occur during the loading and unloading process must be recorded and scored. Where slips or falls occur in excess of 1%, measures must be taken to mitigate the problem.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T13	Animals which are ambulatory, that is, capable of walking unassisted, must not be suspended by mechanical means, nor lifted or dragged by the head, horns, legs, or tails.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T14	Non-ambulatory animals: <input type="checkbox"/> may be moved from the farm only if a veterinarian determines that the animal does not have severe, uncontrollable pain and that it can be successfully treated at a medical facility; and <input type="checkbox"/> must be moved or hoisted in containers or slings in which their bodies are fully supported and which cause no pain or distress to the animal.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T15	The transportation of any animal to a medical facility for treatment must be documented in the health care records maintained in the farm manual.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T16	<p>Space during Transport During transport:</p> <input type="checkbox"/> Cattle must have sufficient room for all individuals. Space per animal must be provided in conformance with the transportation space guidelines in the latest edition of the FASS Ag Guide . <input type="checkbox"/> Additional space must be provided to allow the cattle to spread apart during hot weather. <input type="checkbox"/> Cattle must have sufficient head clearance to stand comfortably without touching the ceiling of the transport equipment. <input type="checkbox"/> For partial loads, the transport vehicle must be sub-divided to account for the size of the group being transported. <p><i>References:</i> Federation of Animal Science Societies (FASS). 2010. Guide for the Care and Use of Agricultural Animals in Research and Teaching, 3rd Ed. Table 5-2, p. 53. NAMI. 2012. NAMI Recommended Animal Handling Guidelines & Audit Guide.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25
T17	Transport vehicles must provide adequate ventilation while avoiding drafts.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T18	For transport during cold weather, cattle must be protected from drafts and the ingress of rain and snow.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

T19	<p>For transport during hot weather:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Where possible, animals must be transported at night or in the coolest part of the day. <input type="checkbox"/> Animals must be protected from direct sunlight. <input type="checkbox"/> The transport vehicle must be equipped with a means to provide effective ventilation. <input type="checkbox"/> The transport vehicle must have air-conditioning and/or the animals must be regularly sprayed with water to help them keep cool. <input type="checkbox"/> The transport vehicle must not be kept stationary or parked in the sun for long periods. If it is unavoidable for the transport vehicle to be kept stationary, care must be taken to park the vehicle in shade, and inspections of the cattle must be increased as necessary to ensure the animals are not showing signs of heat stress. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T20	Cattle must be inspected immediately after loading and thereafter a minimum of every 4 hours, or more often during inclement weather. If any animal shows signs of distress including cold or heat stress, immediate remedial action must be taken.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T21	If an animal goes down in transport and cannot be successfully treated, it must be humanely euthanized on the spot or upon arrival at a medical facility per American Humane Certified™ standards.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T22	<ul style="list-style-type: none"> <input type="checkbox"/> Where mortalities during transport are traceable to a single cause, prompt action must be taken to prevent further deaths, injury, or suffering from occurring. <input type="checkbox"/> Where high levels of transport mortality (in excess of 1%) from any single source in any three-month period occur, a veterinary investigation must be performed, mitigating actions taken as necessary, and the results reported to the American Humane Certified™ program. 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3
T23	All loading and transport equipment must be cleaned and disinfected after the completion of transport.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/3

Slaughter

T24	<p>The American Humane Certified™ program adheres to the Recommended Animal Handling Guidelines and Audit Guide published by the North American Meat Institute for humane slaughtering and processing practices. <i>Check one of the following:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> For on-site slaughter, records must be available showing that the company SOPs are in compliance with NAMI humane slaughtering and processing practices. <input type="checkbox"/> For off-site slaughter and/or slaughter by an outside company, a Certificate of Conformance from the outside company must be available confirming that the NAMI humane slaughter and processing practices have been followed. <p><i>The NAMI animal handling guidelines are available at: http://animalhandling.org.</i></p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	/25
-----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	-----

Pass/Fail Auditor Evaluations

<p>P/F1</p>	<p>No Instances of Willful Acts of Abuse Throughout the course of the audit, the auditor must not have observed any farm personnel committing willful acts of abuse, which include but are not limited to:</p> <ul style="list-style-type: none"> ○ beating the cattle or breaking tails; ○ slamming gates on the cattle; ○ using any type of prod inappropriately (on sensitive areas of the animal); ○ using the electric prod when neither the welfare of the animal or of the handler is in immediate jeopardy; ○ using electronic immobilization for any reason; ○ driving the animals atop one another; and ○ goading or dragging a downer animal. <p>➤ <i>Auditor note: this item has no point value:</i></p> <ul style="list-style-type: none"> ➤ <i>A mark of “Yes” indicates that the auditor <u>did NOT observe</u> willful acts of abuse committed by farm personnel towards the animals.</i> ➤ <i>A mark of “No” indicates that the auditor believes that willful acts of abuse towards the animals have been committed. The auditor must document the incident observed and s/he must inform farm management, their audit company, and the American Humane Certified™ program immediately. Upon the discretion of the American Humane Certified™ program, the audit may be suspended. See below.</i> <p>➤ <u><i>Willful acts of abuse are severe non-conformances and will not be tolerated. An investigation will be made to assess the incident and to determine whether remedial actions are required. The American Humane Certified™ program reserves the right to place the producer on probation from the program if the incident is determined to be severe. Producers who are placed on probation must implement changes to the management, training, and company policies that to the satisfaction of the American Humane Certified™ program effectively remedy the issue, and the site must pass a follow-up audit prior to being reinstated in the program.</i></u></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>/-</p>
<p>P/F2</p>	<p>Body Condition Score At a minimum, at least 98% of all lactating cows MUST have a Body Condition Score between 2.0 and 4.5 on a 5-point scale. See FW1: “Body Condition Score” above.</p> <p>➤ <i>Auditor note: this item has no point value.</i></p> <ul style="list-style-type: none"> ○ <i>Mark “Yes” to this item if 98% or more of all lactating cows have a BCS between 2.0 and 4.5 on a 5-point scale.</i> ○ <i>Mark “No” to this item if less than 98% of all lactating cows have a BCS between 2.0 and 4.5 on a 5-point scale, and see below:</i> <p>➤ <u><i>It is a severe non-conformance for a dairy to maintain a herd with more than 2% of all lactating cows having an unacceptable BCS. If this occurs, an investigation will be made to access the circumstances for the unacceptable BCS scores and the corrective actions that the producer proposes to take. The American Humane Certified™ program reserves the right to place the producer on immediate probation, or in extreme cases, suspension from the program. Producers who are placed on probation must implement changes to the management, training, and company policies that to the satisfaction of the American Humane Certified™ program effectively remedy the issue. The dairy must pass a follow-up audit, which at the program’s discretion will include an acceptable threshold for BCS that must be met prior to the dairy being reinstated.</i></u></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>/-</p>

<p>P/F3</p>	<p>Lameness/ Locomotion Score At a minimum, at least 95% of the lactating and dry cows MUST have a Lameness/ Locomotion (L/L) Score of 1 or 2 on a 5-point scale. See E44: "Lameness/ Locomotion Score" above.</p> <p>➤ <i>Auditor note: this item has no point value:</i></p> <ul style="list-style-type: none"> ○ <i>Mark "Yes" to this item if 95% or more of the lactating and dry cows have an L/L of 1 or 2 on a 5-point scale.</i> ○ <i>Mark "No" to this item if less than 95% of the lactating and dry cows have an L/L of 1 or 2 on a 5-point scale, and see below:</i> <p>➤ <i>It is a severe non-conformance for a dairy to maintain more than 5% of the <u>lactating and dry cows with unacceptable L/L scores</u>. If this occurs, an investigation will be made to assess the circumstances for the low L/L scores and the corrective actions that the producer proposes to take. The American Humane Certified™ program reserves the right to place the producer on immediate probation, or in extreme cases, suspension from the program. Producers who are placed on probation must implement changes to the management, training, and company policies that to the satisfaction of the American Humane Certified™ program effectively remedy the issue. The dairy must pass a follow-up audit, which at the program's discretion will include an acceptable threshold for L/L that must be met prior to the dairy being reinstated.</i></p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>/-</p>
--------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------	-----------

Audit Completion

To be signed at the end of the on-site audit:

Information in the completed *Animal Welfare Standards Audit Tool* and attached *Non-Conformance Report* and Farm Manual documentation is complete, correct, and has been verified by the auditor. All corrective actions agreed upon at the exit interview must be corrected even if the farm receives certification.

Farm Owner / Manager

Date

Auditor

Date

American Humane Certified™ Notification of Non-Conformance



Form to be filled out by Auditor and signed at the exit interview. One copy should be left with Producer and one copy should be retained for American Humane.

Auditor: _____

Producer Name:	
Farm Name:	Building ID:
On Farm Contacts: Manager Caregiver Others	
Cell Phone:	Email:

The following non-conformances were found during the American Humane Certified™ audit on _____. Within 10 days, you must submit a Corrective Action Plan that includes the corrective action to be taken, and the person responsible for the correction, and the date the correction will be completed. After correction, submit a Corrective Action Completion Report with supporting documentation to the American Humane Certified™ program. Documentation may include pictures, copies of daily reports, training records, veterinary health plan adjustments, etc. Producers/ managers are encouraged to submit progress reports as corrective actions are taken. All corrections must be made within 90 days and reports should be submitted electronically.

Notes should include each non-conformance item (for example: FW3, H12) and details of infraction. Attach additional pages as needed.

Auditor signature: _____ Date: _____

I, the undersigned, agree to submit a Corrective Action Plan within 10 days. All corrections will be made within 90 days. I will submit a Corrective Action Completion Report and agree to additional audits to maintain certification.

Producer signature: _____ Date: _____